# **SNºWDEN**

# Final

Moncoa Corporation: Addendum to the Technical Report entitled Selinsing Gold Mining Project, Malaysia NI43-101 Technical Report Project No. **5174** 

Selinsing Resource Estimate

September 2006

Prepared by Michael Andrew B.Sc., MAusIMM Principal Consultant –Resource Evaluation

Reviewed by Ian Glacken MSc, FAusIMM (CP), C Eng Group General Manager Resources.....

#### **Office Locations**

#### Perth

87 Colin Street West Perth WA 6005

PO Box 77 West Perth WA 6872 AUSTRALIA

Tel: +61 8 9481 6690 Fax: +61 8 9322 2576 ABN 99 085 319 562 perth@snowdengroup.com

Brisbane Level 5, 82 Eagle Street Brisbane QLD 4000

PO Box 2207 Brisbane QLD 4001 AUSTRALIA

Tel: +61 7 3231 3800 Fax: +61 7 3211 9815 ABN 99 085 319 562 brisbane@snowdengroup.com

#### Vancouver

Suite 550 1090 West Pender Street Vancouver BC V6E 2N7 CANADA

Tel: +1 604 683 7645 Fax: +1 604 683 7929 Reg No. 557150 vancouver@snowdengroup.com

#### Johannesburg

Technology House Greenacres Office Park Cnr. Victory and Rustenburg Roads Victory Park Johannesburg 2195 SOUTH AFRICA

PO Box 2613 Parklands 2121 SOUTH AFRICA

Tel: + 27 11 782 2379 Fax: + 27 11 782 2396 Reg No. 1998/023556/07 johannesburg@snowdengroup.com

#### London

Abbey House Wellington Way Weybridge Surrey KT13 0TT, UK

Tel: + 44 (0) 1932 268 701 Fax: + 44 (0) 1932 268 702 london@snowdengroup.com

#### Internet

http://www.snowdengroup.com

This report has been prepared by Snowden Mining Industry Consultants ('Snowden') on behalf of Moncoa Corporation.

© 2006

All rights are reserved. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of Snowden.

Issued by: **Perth** Office Doc Ref: 060921\_Final\_5174\_Moncoa\_Addendum\_Selinsing\_R.doc

Print Date: 21 September 2006

Number of copies Snowden: 2 Moncoa Corporation: 2

1	Summar	y	7			
2	Introduc	tion and Terms of Reference	9			
3	Disclaim	er	10			
4	Property description and location11					
5	Accessit	pility, climate, local resources, infrastructure and physiography	12			
6	History		13			
7	Geologic	cal setting	14			
8	Deposit	types	15			
9	Mineralis 9.1	sation Extraction				
10	•	ion				
	<i>10.1</i> 10.2	Extraction Current Exploration Strategy				
11	•					
	11.1	Extraction				
	11.2	Collar surveying				
	11.3	Downhole surveying				
	11.4	Core recovery				
	11.5	Security procedures				
	<i>11.6</i> 11.7	Comments on drilling				
		Survey data update				
	11.8	Validation drilling	24			
12	Sampling	g method and approach	27			
	12.1	Extraction	27			
	12.2	RC drilling				
	12.3	DD drilling				
	12.4	In situ density				
	12.5	Comments on sampling method and approach				
	12.6	Validation drilling				
	1	2.6.1 Sampling	28			
13	Sample	preparation, analyses and security	33			
	13.1	Extraction	33			
	13.2	Sample preparation	33			
	13.3	Security measures	33			
	13.4	Laboratory certification, sample preparation, assaying and analytical procedures	33			
	13.5	, Quality control measures				

	13.6	Blank p	performance	34
	13.7	Umpire	assays	34
	13.8	Assay ı	repeat data	35
	13.9	•	n on the adequacy of sampling, sample preparation, security	
			alytical procedures	
	13.10		on drilling	
		3.10.1	Sample Preparation	
		3.10.2	Security measures	36
	13	3.10.3	Laboratory certification, sample preparation, assaying and analytical procedures	
	1:	3.10.4	Quality control measures	
14	Data ver	ification.		43
	14.1	Extract	ion	43
	14.2	Verifica	tion by author	43
	14.3	Opinior	on the verification of data	43
	14.4	Opinion	on the validation drilling	44
15	Adjacent	properti	es	45
16	Mineral r	orocessir	ng and metallurgical testing	46
10	16.1		ion	
	16.2		it ore	
	-			
17			e and Mineral Reserve Estimates	
	17.1		l	
	17.2		se	
	17.3	0	ical interpretation	
	17.4	•	siting	
	17.5		ned composite statistics	
	17.6	•	s from statistical analysis of domained composites	
	17.7		nodel setup	
	17.8		nity analysis	
	17.9	••	ail modelling	
	17.10 17.11		ering analysis	
		Esumat 7.11.1	ion parameters	
	17.12		Kriging Neighbourhood Analysis (KNA)	
	17.12		nodels	
	17.13		cation	
	17.14		/alidation	
	17.15		ce report	
	17.10		determination	
18	Other rel	evant da	ta and information	66
19	Interpret	ation, coi	nclusions and recommendations	67

20	References		68
21	Certificate of Au	thor	69
22	Consent of Qua	lified Person	70
Tab	oles		
	Table 1.1	Selinsing Classified Mineral Resource, as at August 2006	8
	Table 9.1	Summary of intersections from section 1980 mN	19
	Table 10.1	Exploration drill summary	22
	Table 11.1	Drill hole location summary (local grid)	25
	Table 11.2	Drill assay summary results	26
	Table 12.1	Summary of Selinsing density measurements	28
	Table 13.1	Standard summary	37
	Table 14.1	Confirmatory sampling	43
	Table 16.1	Ball mill capacity calculations	46
	Table 17.1	Composite Statistics Au g/t	53
	Table 17.2	Block model parameters	55
	Table 17.3	Semivariogram Model Parameters - Au	59
	Table 17.4	Declustered statistics – Au g/t	60
	Table 17.5	Global mean comparison – Au g/t	62
	Table 17.6	Selinsing Classified Mineral Resource, as at August 2006	65
Fig	ures		
	Figure 9.1	Quartz veins in west wall of open pit	16
	Figure 9.2	Quartz stockworks and veins in pit floor (photograph is approximately 1 m across)	17
	Figure 9.3	Selinsing cross section 1980 mN (Moncoa updated August 2006))	
	Figure 10.1	Selinsing drill hole location plan	
	Figure 11.1	Changes in hole path dip with increasing downhole depth	
	Figure 11.2	Updated survey data on section 1980 mN	24
	Figure 12.1	Rig mounted cyclone	
	Figure 12.2	Three tier riffle splitter	29
	Figure 12.3	Sample being split	30
	Figure 12.4	Reference sample	
	Figure 12.5	Pushing material through the splitter	
	Figure 12.6	Cleaning cyclone	
	Figure 12.7	Collecting wet sample off cyclone	
	Figure 12.8	Handling wet sample	
	Figure 13.1	Blank sample results	
	Figure 13.2	Umpire analysis QQ and precision plot	
	Figure 13.3	Lab repeat data Log QQ and precision plot	
	5		

# **SNºWDEN**

Figure <sup>-</sup>	13.4	Blank sample results	. 37
Figure <sup>2</sup>	13.5	Standard G02	. 38
Figure <sup>-</sup>	13.6	Standard G302-2	. 38
Figure <sup>-</sup>	13.7	Standard G300-10	. 39
Figure <sup>-</sup>	13.8	Standard G905-10	. 39
Figure <sup>2</sup>	13.9	High grade standard	. 40
Figure <sup>-</sup>	13.10	Lab repeat data Log QQ and precision plot	. 41
Figure '	13.11	Field duplicate data Log QQ and precision plot	.42
Figure <sup>-</sup>	16.1	Gravity gold recovery all RC samples (from TRA)	. 47
Figure '	16.2	Leach recovery (48-hrs) for all RC samples (from TRA)	.48
Figure <sup>-</sup>	16.3	Total gold recovery for all RC samples (from TRA)	. 48
Figure '	16.4	Sulphur concentrations for all RC samples	. 49
Figure '	17.1	Plan view of known underground workings	.51
Figure '	17.2	Hanging Wall (blue) and Foot Wall (mauve) wireframes oblique view	. 52
Figure '	17.3	Log Histogram and Probability Plots	
Figure '	17.4	Semivariogram Models –Au Primary direction of continuity	
Figure '	17.5	Upper tail model	. 60
Figure <sup>2</sup>	17.6	Classified model –oblique view	. 61
Figure <sup>2</sup>	17.7	Oblique vioew -Au block grades	.62
Figure <sup>2</sup>	17.8	Validation plots (>400 mRL)	. 63

## 1 Summary

Moncoa Corporation (Moncoa) engaged Snowden Mining Industry Consultants (Snowden) to prepare a resource estimate for the Selinsing Gold Project, Pahang State, Malaysia. The project is at an advanced stage of exploration and is not yet considered a development or production property. Resource reporting was undertaken in accordance with CIM Mineral Resource and Mineral Reserve definitions that are referred to in National Instrument (NI) 43-101, Standards of Disclosure for Mineral Projects. This Technical Report has been prepared in accordance with the requirements of Form 43-101F1.

Moncoa's request to undertake the resource estimate follows on from recommendations contained in the Technical Report, dated June 2006 prepared by Snowden. Moncoa completed a validation programme of validation RC drilling that confirmed the suitability of historic drill data for use in the generation of the resource estimate

The Selinsing deposit occurs along the north striking Raub Bentong Suture, a major tectonic feature that runs through peninsular Malaysia. The deposit is hosted by a series of auriferous quartz veins and stockworks of quartz veinlets in a package of sheared calcareous epiclastic sediments.

The area surround Selinsing has a rich endowment of gold mineralisation with two nearby mines, Raub and Penjom, both having production and resources of over one million ounces, indicating the regional potential of the Raub Bentong Suture. Mining at Selinsing commenced prior to 1888 and has operated intermittently through to 1996. Underground and open cut mining, together with tailings treatment, has produced approximately 85,000 ounces of gold during this period. Current tailings treatment using heap leach extraction has produced over 1,000 ounces per annum since 2003.

Three dimensional (3D) resource modelling methods and parameters were adopted in accordance with best practice principles accepted in Canada. A geological volume model was created from the drillhole logs and interpretations supplied by Moncoa. Statistical and grade continuity analyses were completed in order to characterize the mineralisation and were subsequently used to develop grade interpolation parameters. These were applied to the recognised mineralised units.

Datamine software was used for generating the 3D block model and subsequent grade estimates. Multiple Indicator Kriging (MIK) was used to estimate gold grades into the block model. A bulk density model was generated by Snowden using data collected by Moncoa. Snowden has made no allowance for historic mining at Selinsing in the resource estimate.

A Mineral Resource classification scheme consistent with CIM guidelines (CIM 2004) was applied. The estimates are categorised as Indicated and Inferred Mineral Resources and reported above a grade cut-off that is appropriate for a potentially bulk mineable deposit (Table 1.1).

At a block cut-off grade of 0.75 g/t Au the currently defined Selinsing Indicated Mineral Resource is 3.63 million tonnes grading 1.76 g/t Au for a total of 205,000 ounces of Au. At the same Au block cut-off grade, the currently defined Inferred Mineral Resource is 7.7 million tonnes grading 1.34 g/t Au for a total of 332,000 ounces of Au.

Snowden considers that this resource estimate is appropriate for use in a Scoping Study or a Pre Feasibility Study.

Cut-off (Au g/t)	Classification	Oxidation	Tonnes (kt)	Grade (Au g/t)	Metal (kOzs)	Classification	Oxidation	Tonnes (kt)	Grade (Au g/t)	Metal (kOzs)
0.75		Oxide	2,100	1.78	120		Oxide	390	1.25	10
0.75	Indicated	Sulphide	1,530	1.72	85	Inferred	Sulphide	7,300	1.35	320
0.75		Total	3,630	1.76	205		Total	7,690	1.34	330

 Table 1.1
 Selinsing Classified Mineral Resource, as at August 2006

## 2 Introduction and Terms of Reference

Snowden Mining Industry Consultants (Snowden) was engaged by Moncoa Corporation (Moncoa) to calculate a resource estimate at the Selinsing project located within Pahang State of Malaysia. Resource estimation work utilised accepted best practice and reporting was carried out in accordance with Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Mineral Resource and Mineral Reserve definitions that are appended to Canadian National Instrument (NI) 43-101 (Standards of Disclosure for Mineral Projects). This Technical Report has been prepared in accordance with the requirements of Form 43-101F1.

This report documents the Selinsing resource estimate as per recommendations made in the June 2006 independent Technical Report entitled "Selinsing Gold Mining Project, Malaysia NI43-101 Technical Report" prepared in accordance with NI 43-101 by Michael C. Andrew MAusIMM, BSc of Snowden Mining Industry Consultants Pty Ltd. The June 2006 Technical Report is available on the SEDAR website at <u>www.sedar.com</u>. Parts of the June 2006 report have been reproduced in their entirety as only the geological interpretation and some drilling and other sampling data has been updated in this current technical report. These repeated parts are italicised.

Mr. Michael Andrew, an employee of Snowden, served as the independent Qualified Person responsible for preparing this Technical Report and undertaking the estimation work.

The author visited the site between the 4th and 7th of April 2006 and between the 13<sup>th</sup> and 16<sup>th</sup> June 2006. Moncoa's drill collars and the geological interpretation were verified and examined respectively. The author inspected the half core that is stored on site and checked the quality of logging performed by Moncoa staff. The validation drill programme was reviewed and sampling and drill performance monitored.

The geological interpretation was prepared under the supervision of Moncoa geological staff. Moncoa's database is managed by Moncoa staff, and was used as the foundation of the resource estimate.

Snowden gives permission Moncoa to file this report as a Technical Report with Canadian Securities Regulatory Authorities pursuant to provincial securities legislation. Except for the purposes legislated under provincial securities law, any other use of this report by any third party is at that party's sole risk.

Moncoa's Technical Reports and digital data files, provide the foundation for Section 17 (Mineral Resources and Mineral Reserve Estimates).

The author has not reviewed the land tenure situation and has not independently verified the legal status or ownership of the properties or any agreements that pertain to the Selinsing Project. Land tenure aspects are described in previous Technical Reports submitted by Moncoa. The results and opinions expressed in this report are based on the author's field observations and assessment of the technical data supplied by Moncoa. Snowden has carefully reviewed all of the information provided by Moncoa, and believe it is reliable from the checks made.

The coordinate system used for the project grid is based upon the Universal Transverse Mercator (UTM) projection.

All measurement units used in the resource estimate are metric and the currency is expressed in Canadian dollars unless stated otherwise.

# 3 Disclaimer

No disclaimer statement was necessary for the preparation of this report. The author has not relied upon reports, opinions or statements of legal or other experts who are not Qualified Persons.

# 4 Property description and location

Material relevant to this section is contained in the following Technical Report:

"Selinsing Gold Mining Project, Malaysia NI43-101 Technical Report" prepared in accordance with NI 43-101 by Michael C. Andrew MAusIMM, BSc of Snowden Mining Industry Consultants Pty Ltd. This Technical Report may be viewed on the SEDAR website at <u>www.sedar.com</u>.

5 Accessibility, climate, local resources, infrastructure and physiography

## 6 History

# 7 Geological setting

# 8 Deposit types


## 9 Mineralisation

### 9.1 Extraction

Gold mineralisation is in the form of very fine gold particles commonly associated with pyrite and arsenopyrite and rarely with chalcopyrite. Coarse visible gold occurs in quartz veins within the shear zone and these can have gold grades well in excess of an ounce per tonne. These high-grade quartz veins can be over a metre in true thickness and are quite continuous along strike and down-dip (Figure 9.1 and Figure 9.2). These veins have been traced up to 300 m along strike and over 200 m down-dip. Lower-grade gold mineralisation is found in the intensely deformed and crushed haloes around the quartz veins within the shear zone. Disseminated pyrite mineralisation in the crushed country rock in the shear zone is common and this mineral, along with the presence of eubedral arsenopyrite, is a good indicator of higher gold grades.

Figure 9.1 Quartz veins in west wall of open pit







A review of the data and geological interpretation on site with Moncoa staff suggested a plunge control on the mineralisation with a gentle to moderate southerly plunge inferred. Figure 9.3 is a cross section from the Selinsing Project (updated from the Technical Report) 1980 mN section line, showing the drilling and interpreted mineralised structures.




Figure 9.3 Selinsing cross section 1980 mN (Moncoa updated August 2006))

Table 9.1 summarises the significant intersections, over 5m in intersected thickness, using a lower grade cut off of 0.5 g/t Au, from the drilling presented in Figure 9.3. The bulk of the drilling is drilled normal to the dip of the mineralisation, so that the bulk of the intersections are close to true thickness.

Hole ID         Hole Type         From         To         Thickness         Au           SELRC0467         RC         33         58         25         7.97           SELRC0207         RC         23         45         222         2.38           SELRC0354         RC         21         36         15         1.79           SELD0002         DD         38.28         50.79         12.51         26.06           includes         DD         40.58         41.17         0.59         386.00           SELRC0188         RC         57         58         11         17.00           includes         RC         59         60         1         21.60           SELRC0208         RC         44         56         12         1.72           SELRC0354         RC         39         48         9         0.88           SELRC0354         RC         13         21         8         2.12           SELRC0354         RC         13         21         8         1.14           SELRC0354         RC         13         21         8         1.14           SELRC0356         RC         13         21 <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
SELRC0207         RC         23         45         22         2.38           SELRC0354         RC         21         36         15         1.79           SELDD0002         DD         38.28         50.79         12.51         26.06           includes         DD         40.58         41.17         0.59         386.00           SELRC0188         RC         54         66         12         17.94           includes         RC         57         58         1         117.00           includes         RC         59         60         1         21.60           SELRC0208         RC         44         56         12         1.72           SELRC0354         RC         39         48         9         0.88           SELRC0354         RC         39         48         9         2.98           SELRC036         RC         13         21         8         1.14           SELRC036         RC         13         21         8         1.14           SELRC038         RC         38         46         8         1.29           SELRC049         RC         38         45         7<	Hole ID		From	То	Thickness	Au
SELRC0354         RC         21         36         15         1.79           SELDD0002         DD         38.28         50.79         12.51         26.06           includes         DD         40.58         41.17         0.59         386.00           SELRC0188         RC         54         66         12         17.94           includes         RC         57         58         1         117.00           includes         RC         59         60         1         28.10           includes         RC         59         60         1         21.60           SELRC028         RC         44         56         12         1.72           SELRC0354         RC         39         48         9         0.88           SELRC0354         RC         13         21         8         1.14           SELRC036         RC         13         21         8         1.14           SELRC038         RC         13         21         8         1.14           SELRC038         RC         38         46         8         1.25           SELRC0441         RC         150         157         7	SELRC0467	RC	33	58	25	7.97
SELDD0002         DD         38.28         50.79         12.51         26.06           includes         DD         40.58         41.17         0.59         386.00           SELRC0188         RC         54         66         12         17.94           includes         RC         57         58         1         117.00           includes         RC         59         60         1         28.10           includes         RC         59         60         1         21.60           SELRC0208         RC         44         56         12         1.72           SELRC0354         RC         39         48         9         0.88           SELRC0354         RC         13         21         8         1.14           SELRC036         RC         13         21         8         1.14           SELRC0386         RC         38         46         8         1.29           SELRC049         RC         38         46         8         1.29           SELRC049         RC         150         157         7         1.26           SELRC0417         RC         150         157 <td< td=""><td>SELRC0207</td><td>RC</td><td>23</td><td>45</td><td>22</td><td>2.38</td></td<>	SELRC0207	RC	23	45	22	2.38
includes         DD         40.58         41.17         0.59         386.00           SELRC0188         RC         54         66         12         17.94           includes         RC         57         58         1         117.00           includes         RC         59         60         1         28.10           includes         RC         59         60         1         21.60           SELRC0208         RC         44         56         12         1.72           SELRC0158         RC         39         48         9         0.88           SELRC0354         RC         39         48         9         2.98           SELRC0356         RC         17         25         8         2.12           SELRC036         RC         13         21         8         1.14           SELRC0386         RC         36         44         8         1.55           SELRC0349         RC         36         44         8         1.55           SELRC0349         RC         36         45         7         1.26           SELRC0441         RC         150         157         7	SELRC0354	RC	21	36	15	1.79
SELRC0188         RC         54         66         12         17.94           includes         RC         57         58         1         117.00           includes         RC         59         60         1         28.10           includes         RC         59         60         1         21.60           SELRC0208         RC         44         56         12         1.72           SELRC0158         RC         39         48         9         0.88           SELRC0354         RC         29         38         9         2.98           SELRC036         RC         17         25         8         2.12           SELRC036         RC         13         21         8         1.14           SELRC098         RC         38         46         8         1.29           SELRC098         RC         36         44         8         1.55           SELRC049         RC         83         90         7         5.65           SELRC049         RC         150         157         7         1.26           SELRC0441         RC         150         157         7         1.21	SELDD0002	DD	38.28	50.79	12.51	26.06
includes         RC         57         58         1         117.00           includes         RC         58         59         1         28.10           includes         RC         59         60         1         21.60           SELRC0208         RC         44         56         12         1.72           SELRC0158         RC         39         48         9         0.88           SELRC0354         RC         29         38         9         2.98           SELRC036         RC         17         25         8         2.12           SELRC036         RC         13         21         8         1.14           SELRC0386         RC         38         46         8         1.29           SELRC0386         RC         36         44         8         1.55           SELRC049         RC         83         90         7         5.65           SELRC0411         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         35         41         6         1.74<	includes	DD	40.58	41.17	0.59	386.00
includes         RC         58         59         1         28.10           includes         RC         59         60         1         21.60           SELRC0208         RC         44         56         12         1.72           SELRC0158         RC         56         65         9         6.46           SELRC0354         RC         39         48         9         0.88           SELRC036         RC         17         25         8         2.12           SELRC0036         RC         13         21         8         1.14           SELRC0098         RC         38         46         8         1.29           SELRC0098         RC         36         44         8         1.55           SELRC0049         RC         36         44         8         1.55           SELRC0117         RC         56         63         7         2.29           SELRC0441         RC         150         157         7         1.26           SELRC0457         RC         24         28         7         1.21           SELRC0453         RC         55         1         70.00	SELRC0188	RC	54	66	12	17.94
includes         RC         59         60         1         21.60           SELRC0208         RC         44         56         12         1.72           SELRC0158         RC         56         65         9         6.46           SELRC0354         RC         39         48         9         0.88           SELRC0350         RC         29         38         9         2.98           SELRC0036         RC         17         25         8         2.12           SELRC0098         RC         13         21         8         1.14           SELRC0098         RC         38         46         8         1.29           SELRC0386         RC         36         44         8         1.55           SELRC049         RC         83         90         7         5.65           SELRC0411         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         1.21           SELRC0457         RC         38         45         7         1.21           SELRC0457         RC         55         1         7.000	includes	RC	57	58	1	117.00
SELRC0208         RC         44         56         12         1.72           SELRC0158         RC         56         65         9         6.46           SELRC0354         RC         39         48         9         0.88           SELRC0354         RC         29         38         9         2.98           SELRC036         RC         17         25         8         2.12           SELRC0098         RC         13         21         8         1.14           SELRC0098         RC         38         46         8         1.29           SELRC0386         RC         36         44         8         1.55           SELRC049         RC         38         90         7         5.65           SELRC0417         RC         56         63         7         2.29           SELRC0457         RC         21         28         7         3.21           SELRC0457         RC         38         45         7         1.26           SELRC0457         RC         54         55         1         70.00           SELRC0453         RC         35         41         6         1.56 </td <td>includes</td> <td>RC</td> <td>58</td> <td>59</td> <td>1</td> <td>28.10</td>	includes	RC	58	59	1	28.10
SELRC0158         RC         56         65         9         6.46           SELRC0354         RC         39         48         9         0.88           SELRC0450         RC         29         38         9         2.98           SELRC0036         RC         17         25         8         2.12           SELRC0098         RC         13         21         8         1.14           SELRC0098         RC         38         46         8         1.29           SELRC0098         RC         36         44         8         1.55           SELRC0366         RC         36         44         8         1.55           SELRC049         RC         83         90         7         5.65           SELRC0417         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         1.32           SELRC0457         RC         38         45         7         1.21           SELRC0457         RC         54         55         1         70.00           SELRC0457         RC         55         1         70.00         5	includes	RC	59	60	1	21.60
SELRC0354         RC         39         48         9         0.88           SELRC0450         RC         29         38         9         2.98           SELRC0036         RC         17         25         8         2.12           SELRC0098         RC         13         21         8         1.14           SELRC0098         RC         38         46         8         1.29           SELRC0366         RC         36         44         8         1.55           SELRC049         RC         83         90         7         5.65           SELRC0117         RC         56         63         7         2.29           SELRC0457         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         49         56         7         13.52           includes         RC         55         1         70.00           SELRC0433         RC         35         41         6         1.56           SELRC0188         RC         35         41         6         1.34	SELRC0208	RC	44	56	12	1.72
SELRC0450         RC         29         38         9         2.98           SELRC0036         RC         17         25         8         2.12           SELRC0098         RC         13         21         8         1.14           SELRC0098         RC         38         46         8         1.29           SELRC0386         RC         36         44         8         1.55           SELRC0386         RC         36         44         8         1.55           SELRC049         RC         83         90         7         5.65           SELRC0117         RC         56         63         7         2.29           SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         24         28         7         1.21           SELRC0494         RC         49         56         7         13.52           includes         RC         35         41         6         1.56           SELRC003         RC         35         41         6         1.34           SELRC013         RC         133         139         6         10.60 </td <td>SELRC0158</td> <td>RC</td> <td>56</td> <td>65</td> <td>9</td> <td>6.46</td>	SELRC0158	RC	56	65	9	6.46
SELRC0036       RC       17       25       8       2.12         SELRC0098       RC       13       21       8       1.14         SELRC0098       RC       38       46       8       1.29         SELRC0386       RC       36       44       8       1.55         SELRC049       RC       83       90       7       5.65         SELRC0117       RC       56       63       7       2.29         SELRC0441       RC       150       157       7       1.26         SELRC0457       RC       21       28       7       2.32         SELRC0457       RC       38       45       7       1.21         SELRC0457       RC       38       45       7       1.232         includes       RC       54       55       1       70.00         SELRC003       RC       68       74       6       1.74         SELRC0118       RC       35       41       6       1.56         SELRC0206       RC       43       49       6       2.31         SELRC0453       RC       133       139       6       10.60      <	SELRC0354	RC	39	48	9	0.88
SELRC0098         RC         13         21         8         1.14           SELRC0098         RC         38         46         8         1.29           SELRC0386         RC         36         44         8         1.55           SELRC049         RC         83         90         7         5.65           SELRC0117         RC         56         63         7         2.29           SELRC0441         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         38         45         7         1.21           SELRC0457         RC         49         56         7         13.52           includes         RC         54         55         1         70.00           SELRC0188         RC         35         41         6         1.56           SELRC0206         RC         43         49         6         2.31           SELRC0207         RC         50         56         6         1.34           SELRC0479         RC         133         139         6         10	SELRC0450	RC	29	38	9	2.98
SELRC0098         RC         38         46         8         1.29           SELRC0386         RC         36         44         8         1.55           SELRC0049         RC         83         90         7         5.65           SELRC0117         RC         56         63         7         2.29           SELRC0441         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         21         28         7         1.21           SELRC0457         RC         38         45         7         1.21           SELRC0494         RC         49         56         7         13.52           includes         RC         54         55         1         70.00           SELRC003         RC         68         74         6         1.74           SELRC0188         RC         35         41         6         1.56           SELRC0207         RC         133         139         6         10.60           SELRC0479         RC         145         151         6 <td< td=""><td>SELRC0036</td><td>RC</td><td>17</td><td>25</td><td>8</td><td>2.12</td></td<>	SELRC0036	RC	17	25	8	2.12
SELRC0386         RC         36         44         8         1.55           SELRC0049         RC         83         90         7         5.65           SELRC0117         RC         56         63         7         2.29           SELRC0441         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         38         45         7         1.21           SELRC0457         RC         49         56         7         13.52           includes         RC         54         55         1         70.00           SELRC003         RC         68         74         6         1.74           SELRC0188         RC         35         41         6         1.56           SELRC0207         RC         50         56         6         1.34           SELRC0479         RC         133         139         6         10.60           SELRC0479         RC         145         151         6         13.21           SELRC0479         RC         42         47         5 <t< td=""><td>SELRC0098</td><td>RC</td><td>13</td><td>21</td><td>8</td><td>1.14</td></t<>	SELRC0098	RC	13	21	8	1.14
SELRC0049         RC         83         90         7         5.65           SELRC0117         RC         56         63         7         2.29           SELRC0441         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         38         45         7         1.21           SELRC0494         RC         49         56         7         13.52           includes         RC         54         55         1         70.00           SELRC0003         RC         68         74         6         1.74           SELRC0188         RC         35         41         6         1.56           SELRC0206         RC         43         49         6         2.31           SELRC0207         RC         50         56         6         1.34           SELRC0479         RC         133         139         6         10.60           SELRC0479         RC         145         151         6         13.21           SELRC0479         RC         42         47         5         <	SELRC0098	RC	38	46	8	1.29
SELRC0117         RC         56         63         7         2.29           SELRC0441         RC         150         157         7         1.26           SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         38         45         7         1.21           SELRC0457         RC         49         56         7         13.52           includes         RC         54         55         1         70.00           SELRC0003         RC         68         74         6         1.74           SELRC0188         RC         35         41         6         1.56           SELRC0206         RC         43         49         6         2.31           SELRC0207         RC         50         56         6         1.34           SELRC0479         RC         133         139         6         10.60           SELRC0479         RC         145         151         6         13.21           SELRC0479         RC         145         151         6         13.21           SELRC0117         RC         75         80         5	SELRC0386	RC	36	44	8	1.55
SELRC0441       RC       150       157       7       1.26         SELRC0457       RC       21       28       7       2.32         SELRC0457       RC       38       45       7       1.21         SELRC0457       RC       49       56       7       13.52         includes       RC       54       55       1       70.00         SELRC003       RC       68       74       6       1.74         SELRC0188       RC       35       41       6       1.56         SELRC0206       RC       43       49       6       2.31         SELRC0207       RC       50       56       6       1.34         SELRC0479       RC       133       139       6       10.60         SELRC0479       RC       145       151       6       13.21         SELRC0479       RC       145       151       6       13.21         SELRC0117       RC       75       80       5       10.73         SELRC0117       RC       101       106       5       44.80         includes       RC       102       103       1       42.60	SELRC0049	RC	83	90	7	5.65
SELRC0457         RC         21         28         7         2.32           SELRC0457         RC         38         45         7         1.21           SELRC0494         RC         49         56         7         13.52           includes         RC         54         55         1         70.00           SELRC0003         RC         68         74         6         1.74           SELRC0188         RC         35         41         6         1.56           SELRC0206         RC         43         49         6         2.31           SELRC0207         RC         50         56         6         1.34           SELRC0473         RC         133         139         6         10.60           SELRC0479         RC         145         151         6         13.21           SELRC0479         RC         145         151         6         13.21           SELRC0117         RC         75         80         5         10.73           SELRC0117         RC         101         106         5         44.80           includes         RC         102         103         1	SELRC0117	RC	56	63	7	2.29
SELRC0457RC384571.21SELRC0494RC4956713.52includesRC5455170.00SELRC0003RC687461.74SELRC0188RC354161.56SELRC0206RC434962.31SELRC0207RC505661.34SELRC0453RC18246183SELRC0479RC145151613.21SELRC0479RC145151613.21SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	SELRC0441	RC	150	157	7	1.26
SELRC0494RC4956713.52includesRC5455170.00SELRC0003RC687461.74SELRC0188RC354161.56SELRC0206RC434962.31SELRC0207RC505661.34SELRC0473RC182461.83SELRC0479RC133139610.60SELRC0479RC145151613.21SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60	SELRC0457	RC	21	28	7	2.32
includesRC5455170.00SELRC0003RC687461.74SELRC0188RC354161.56SELRC0206RC434962.31SELRC0207RC505661.34SELRC0453RC182461.83SELRC0479RC133139610.60SELRC0479RC145151613.21SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60	SELRC0457	RC	38	45	7	1.21
SELRC0003         RC         68         74         6         1.74           SELRC0188         RC         35         41         6         1.56           SELRC0206         RC         43         49         6         2.31           SELRC0207         RC         50         56         6         1.34           SELRC0453         RC         18         24         6         1.83           SELRC0479         RC         133         139         6         10.60           SELRC0479         RC         145         151         6         13.21           SELRC0479         RC         145         151         6         13.21           SELRC0479         RC         145         151         6         13.21           SELRC0117         RC         75         80         5         10.73           SELRC0117         RC         101         106         5         44.80           includes         RC         102         103         1         42.60           includes         RC         103         104         1         142.00	SELRC0494	RC	49	56	7	13.52
SELRC0188RC354161.56SELRC0206RC434962.31SELRC0207RC505661.34SELRC0453RC182461.83SELRC0479RC133139610.60SELRC0479RC145151613.21SELRC0479RC424750.92SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	includes	RC	54	55	1	70.00
SELRC0206RC434962.31SELRC0207RC505661.34SELRC0453RC182461.83SELRC0479RC133139610.60SELRC0479RC145151613.21SELRC049RC424750.92SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	SELRC0003	RC	68	74	6	1.74
SELRC0207RC505661.34SELRC0453RC182461.83SELRC0479RC133139610.60SELRC0479RC145151613.21SELRC049RC424750.92SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60	SELRC0188	RC	35	41	6	1.56
SELRC0453RC182461.83SELRC0479RC133139610.60SELRC0479RC145151613.21SELRC0049RC424750.92SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	SELRC0206	RC	43	49	6	2.31
SELRC0479RC133139610.60SELRC0479RC145151613.21SELRC0049RC424750.92SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	SELRC0207	RC	50	56	6	1.34
SELRC0479RC145151613.21SELRC0049RC424750.92SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	SELRC0453	RC	18	24	6	1.83
SELRC0049RC424750.92SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	SELRC0479	RC	133	139	6	10.60
SELRC0117RC7580510.73SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	SELRC0479	RC	145	151	6	13.21
SELRC0117RC101106544.80includesRC102103142.60includesRC1031041142.00	SELRC0049	RC	42	47	5	0.92
includesRC102103142.60includesRC1031041142.00	SELRC0117	RC	75	80	5	10.73
includes RC 103 104 1 142.00	SELRC0117	RC	101	106	5	44.80
	includes	RC	102	103	1	42.60
includes RC 104 105 1 37.20	includes	RC	103	104	1	142.00
	includes	RC	104	105	1	37.20

 Table 9.1
 Summary of intersections from section 1980 mN

Hole ID	Hole Type	From	То	Thickness	Au
SELRC0117	RC	107	112	5	1.44
SELRC0224	RC	37	42	5	1.62
SELRC0354	RC	51	56	5	0.77
SELRC0386	RC	5	10	5	2.14
SELRC0449	RC	33	38	5	1.15
SELRC0450	RC	39	44	5	1.98
SELRC0457	RC	31	36	5	5.07
SELRC0457	RC	47	52	5	18.30
includes	RC	48	49	1	78.20
SELRC0479	RC	114	119	5	1.34
SELRC0494	RC	59	64	5	9.99
SELRC0494	RC	72	77	5	2.23

# 10 Exploration

### 10.1 Extraction

Moncoa has not undertaken any exploration at Selinsing. All work to date has been undertaken by the previous owners of the Selinsing Project. Exploration at Selinsing has been undertaken since 1995 when initial rock chip soil and channel sampling was undertaken. This work was then followed by three phases of drilling over the Selinsing resource and two phases of drilling over the tailings resource. Figure 10.1 is a drill hole location plan with the drill hole paths colour coded such that air core (AC) traces are in blue, reverse circulation (RC) traces are in green and diamond drilling (DD) traces are in red. Also shown are the lease boundaries as white lines. The AC drilling was carried out in the tailings material and includes some shallow 2 m auger holes.




Figure 10.1 Selinsing drill hole location plan

Table 10.1 summarises the drilling undertaken as part of exploration at the Selinsing project. Snowden has reviewed the available documentation and discussed the drilling programme with Moncoa geologists who were also involved with the work, and concludes that exploration was undertaken in a competent and professional way at the Selinsing Project. Drilling over the main part of the Selinsing Project is on a 20 m by 20 m grid.

	•	5			
Date	Campaign	Hole numbers	Drilling type	Total meters	Average meter per hole
1996	Phase 1 Tailings	SELAC001 to SELAC056	AC	871.2	15.6
1996	Phase 2 Tailings	SELAG001 to SELAG033	Auger	66	2
1996	Phase 1 Selinsing	SELRC01 to SELRC280	RC	23529	83.7
1997	Phase 2 infill Selinsing	SELRC295 to SELRC509	RC	15312.5	72.6
1996 to 1997	Selinsing	SELDD001 to SELDD013	DD	1863.45	143.3

#### Table 10.1Exploration drill summary

### 10.2 Current Exploration Strategy

At the Selinsing Project, Moncoa's future exploration activity will be focussed on extending the mineralisation down-plunge to the south and upgrading portions of the resource from Inferred to Indicated.

## 11 Drilling

#### 11.1 Extraction

The following sections detail the key aspects of exploration drilling undertaken at the Selinsing Project

## 11.2 Collar surveying

All drill hole collar locations were surveyed by the TRA survey team using a Leica TC 1100 total station survey instrument. The accuracy of this instrument is stated to be  $\pm 1$  second of angular measurements for distances up to 1.5 km. The survey information was stored in Liscad SE software, version 3.2., prior to downloading to Micromine software where the data is stored for modelling. Drillhole locations in the database are recorded in mine grid coordinates. The coordinates are accurate to  $\pm 10$  cm. Survey information was transferred electronically from Liscad to the Micromine database to prevent handling errors.

## 11.3 Downhole surveying

Drillholes were surveyed down the path of each hole using an Eastman single shot wire-line camera. Downhole surveying only started in late 1996 so a large proportion of holes drilled before this time are not surveyed downhole because the holes have collapsed. All DD hole paths have been surveyed but only one RC hole has a downhole survey data. No change in azimuth with depth is observed in the supplied downhole survey data.

Figure 11.1 shows the changes in dip with drill hole depth for the available data downhole data. This plot reveals that drill hole dip generally becomes more horizontal with depth, which is a common effect in inclined drilling.




Figure 11.1 Changes in hole path dip with increasing downhole depth

### 11.4 Core recovery

The average core recovery for the 13 DD holes in the deposit is 92%. This average includes intervals from the start of the hole where recovery would be expected to be poor and some logged cavities.

#### 11.5 Security procedures

The author cannot comment on past procedures used to ensure the security and integrity of sampling of the drill core. The author has advised Moncoa staff to make the core storage facility secure as it is currently unsecured.

#### 11.6 Comments on drilling

The author found that industry standard logging conventions were used by Moncoa to record information from the drill core. The core is logged in detail onto paper records, and the data is then entered into the digital project database. The core is also photographed before being sampled.

While visiting the site in April 2006, the author reviewed the core logging procedures and found them to be done in a systematic fashion, competently and in accordance with industry standards. Drill core was found to be well handled and maintained. The core is stored on racks in a core shed located at the Selinsing Project.

The lack of downhole survey data for the RC data indicates that there is currently some degree of spatial inaccuracy in the RC data which needs to be quantified for any future resource evaluations.

### 11.7 Survey data update

Moncoa staff located additional downhole survey data after the referenced technical report had been completed. The data was supplied to Snowden and the database was updated. Figure 11.2 shows the effect of the additional survey data on the drilling on section 1980 mN. The blue traces represent drillholes with the original survey data, while the red traces represent drillholes with the updated survey data.




Figure 11.2 Updated survey data on section 1980 mN

The incorporation of the additional survey data shows that the drillholes have typically tended to flatten and lift with depth. This usually occurs as a result of the rod string trying to be normal to the fabric of the local strata.

### 11.8 Validation drilling

In accordance with recommendations made in the Independent Technical report dated June 2006 and prepared in accordance with NI43-101, Moncoa undertook a programme of targeted RC drilling to confirm the tenor of the historical RC data. Nine drillholes, SELRC0510 to SELRC0518, located as summarised in Table 11.1, were drilled and the significant results summarised in Table 11.2. The holes were drilled between  $13^{th}$  and  $17^{th}$  of June 2006. Results greater than 0.5 g/t Au and with a down hole thickness of greater than 5m are reported; no top cutting has been applied. Holes are drilled inclined at 60 degrees with an azimuth of 270 (local grid) and are designed to normally intersect the mineralisation, so that the down hole thickness, reflects the true thickness. The holes were not surveyed.

Hole ID	Northing (m)	Easting (m)	RL (m)	Depth (m)	Dip	Azimuth
SELRC0510	1990.2	790.5	500.94	60	60	270
SELRC0511	1990.2	810.2	500.87	66	60	270
SELRC0512	2009.8	790.6	501.30	72	60	270
SELRC0513	2009.8	809.9	500.78	72	60	270
SELRC0514	2030.3	790.7	499.18	60	60	270
SELRC0515	2030.0	810.5	499.55	72	60	270
SELRC0516	2051.7	789.8	499.20	54	60	270
SELRC0517	2050.4	809.8	499.99	72	60	270
SELRC0518	1969.7	792.2	500.94	72	60	270

Table 11.1Drill hole location summary (local grid)

	···· <b>j</b> ···	<b>J</b>			
Hole ID	Hole Type	From (m)	To (m)	Down hole Thickness (m)	Au (g/t)
SELRC0510	RC	23	29	6	8.33
Includes		27	28	1	31.40
SELRC0510	RC	46	60	14	3.15
Includes		39	40	1	41.70
Includes		59	60	1	22.40
SELRC0511	RC	41	49	8	6.60
Includes		48	49	1	36.80
SELRC0512	RC	32	64	32	1.72
SELRC0513	RC	66	72	6	1.83
Includes		61	62	1	20.40
SELRC0514	RC	31	42	11	0.95
SELRC0515	RC	60	69	9	9.15
Includes		65	66	1	35.80
SELRC0516	RC	24	35	11	4.84
SELRC0518	RC	2	14	12	2.45
SELRC0518	RC	25	36	11	4.02
SELRC0518	RC	42	49	7	12.30
Includes		46	47	1	52.90
SELRC0518	RC	53	67	14	15.52
Includes		54	55	1	51.90
Includes		57	58	1	60.00
Includes		61	62	1	38.90

#### Table 11.2Drill assay summary results

Snowden supervised the drilling and sampling

# 12 Sampling method and approach

#### 12.1 Extraction

## 12.2 RC drilling

23,557 RC drill samples were collected for assaying purposes at the drill site by splitting bulk samples from each metre drilled using a 75%: 25% three stage riffle splitter. The splitter reject was returned to a numbered bag whilst the smaller split sample was collected in a calico bag and taken to the sample preparation laboratory. If the sample was found to be damp or wet the whole one metre sample was not split in the riffle splitter in order to prevent carry-over contamination of the next sample. In this case, the sample was split by using a piece of PVC pipe to take a cylindrical sample through the entire length of the bulk sample. This sample was then placed in its numbered calico bag as usual. Wet or damp samples were flagged in the geological log.

### 12.3 DD drilling

A total of 1,543 DD samples were collected for assaying purposes. The following points summarise the core sampling procedures described by Moncoa staff and observations made by the author during the April 2006 site visit:

- Core was placed in boxes of appropriate size (NQ, HQ) according to the core diameter.
- At the drill site, the core boxes were marked with the following information:
  - Hole number (e.g. Hole No. 2)
  - Box number (e.g. 23 -> R-97-2-23)
- Hole depths were marked with wooden blocks at the end of each core barrel run.
- Boxes were stored in the core shack in the Selinsing camp.
- Geologists measured the core and calculate the percent recovery between blocks.
- Core boxes were photographed.
- Geologists produced paper and digital logs (Husky Hunter), documenting lithology, alteration, alteration intensity, rock color, texture, grain size, structures, type of mineralisation and mineralisation intensity.
- Digital logs were printed out and reviewed in detail for accuracy.
- Mineralised sections of core were marked up by geologists.
- Core sample intervals were halved using a diamond blade saw. Geologists supervised the cutting to ensure the mineralisation is properly halved.
- The portion of core to be assayed was placed in a plastic sample bag.

## 12.4 In situ density

To determine rock in situ density, short sections of drill were cross-cut using a diamond tipped core saw so that the sample was a cylinder. Any core, which broke during the sawing process, was not used for density determinations. The diameter of the core was measured to see if there was a noticeable difference from the expected diameter and then weighed on an electronic weighing machine that was accurate to 0.01 g. In situ density was then computed from the volume and mass of the test samples.

Only dry core was used for these calculations so that dry bulk densities values could be calculated. Snowden noted that there were three main ore types which make up the deposit. These are quartz (vein rock), breccia and stockwork (halo-mineralisation). From four mineralised intersections in holes SELDD001 and DD003, it was determined that the approximate deposit volumes of these three ore types are 14.8%, 40.5% and 44.7% respectively. Average density determinations collected from the field data show these rock types to have density values as summarised in Table 12.1. The average density of fresh mineralisation is therefore estimated to be 2.70  $t/m^3$  while the average for oxide mineralisation is 2.53  $t/m^3$ .

Mineralisation type	Oxide density (t/m³)	Fresh density (t/m³)	Proportion of deposit volume
Vein quartz	2.60	2.65	14.8 %
Breccia	2.64	2.67	40.5 %
Stockwork	2.42	2.74	44.7 %
Average	2.53	2.70	100.0 %
Barren	2.18	2.68	

#### Table 12.1Summary of Selinsing density measurements

#### 12.5 Comments on sampling method and approach

Due to the historic nature of the sampling, the author cannot comment directly on the sampling methods employed at the Selinsing Project. However, from discussions Snowden had with Moncoa staff who were present during the historic drilling programmes, Snowden has no reason to suspect that protocols and procedures that were followed were sub-standard in terms of industry accepted sampling practices.

#### 12.6 Validation drilling

#### 12.6.1 Sampling

600 samples were collected over 1 m intervals from the surface. The drill cuttings were collected from a cyclone (Figure 12.1) and then passed through a three-tier riffle splitter (Figure 12.2, Figure 12.3). A 2 kg to 3 kg primary sample was collected from each interval in a calico sample bag. Each calico bag was marked with a sample number and the reject sample was also collected in large plastic sample bags that were marked with the drillhole identifier and downhole interval depths for each sample. The reject samples were retained and stacked in order near the drillhole collar.



Figure 12.1 Rig mounted cyclone








Figure 12.3 Sample being split

Small geologically representative samples of the drill cuttings were collected for logging and the chips retained in plastic cups for reference (Figure 12.4). The cups were labelled with the drillhole identifier and the downhole interval depths for each sample. Logging of the material was completed at the drill rig.

Figure 12.4 Reference sample



Snowden noted that care was taken at all stages of the sampling, but recommends that more time be taken when feeding the riffle splitter as the current protocol leads to blocking of the splitter when the cuttings are partially moist. Figure 12.5 shows material being pushed through the splitter following a blockage. Ideally the splitter should be fed using a hopper that is the same size as the width of the riffles and material fed to the splitter at a rate that allows splitting without flooding or blocking of the riffles.



Figure 12.5 Pushing material through the splitter

Snowden noted that all equipment was regularly cleaned between samples with the cyclone being cleaned on at least every 2<sup>nd</sup> rod change, or as required (Figure 12.6).

Figure 12.6 Cleaning cyclone



Ground water was encountered in all holes drilled but the drilling equipment did recover a dry sample to a depth of approximately 60 m downhole. At greater depth the ingress of groundwater into the hole was such that dry samples could not be maintained. Snowden and Moncoa staff decided to terminate the hole at this point, rather than continue to collect samples of poor quality where fines were likely to be lost in the sample handling process. For example, Figure 12.7 shows a wet sample being collected off the cyclone, while Figure 12.8 shows the wet sample being handled and the loss of fines material as water is lost from the sample bag as it is handled.



Figure 12.7 Collecting wet sample off cyclone

Figure 12.8 Handling wet sample



Snowden recommended that core drilling be adopted once wet sampling is encountered, but that was not implemented as the aim of the programme in this instance was to validate the historical RC drill data. Consideration to the use of large woven bags should be given for any future RC drilling at site, which would allow the water to seep from the bag.

# 13 Sample preparation, analyses and security

#### 13.1 Extraction

Sample preparation for samples collected up to drill hole SELRC280, was undertaken by TRA at a sample preparation facility at Kuala Lipis. This facility was inspected by MRT in March 1997 and problems with some of the equipment were identified. A new sample preparation facility was subsequently commissioned at the Selinsing Project site in April 1997.

### 13.2 Sample preparation

RC samples were dried in the normal manner then split through a 50:50 bench scale riffle splitter prior to pulverising. Half of the original 2 kg sample was discarded because the pulverising bowl was limited to maximum capacity of approximately 800 g. For diamond core samples, half of the length to be sampled was crushed using an Essa jaw crusher and then sampled as per the RC samples. If the core was wet the sample was returned to its bag and dried prior to splitting. Each sample was pulverised in an Essa RM2000 pulveriser for four minutes. This pulveriser has the ability to crush the material down to 95% passing 75 microns. The 250 g samples were then collected and dispatched as normal. The site laboratory prepared all of the new RC and diamond core samples from the Phase 2 drilling programme, which included the range of holes SEL-RC 281 to 509, SEL-DD001, and SEL-DD003 to 13.

### 13.3 Security measures

The author cannot comment on security measures employed with the samples dispatched from the Selinsing Project due to the historical nature of the sampling. However, the author has no reason to suspect that industry standard protocols and procedures were not followed. Samples were dispatched to the Assaycorp laboratory at Kuching for analysis.

# 13.4 Laboratory certification, sample preparation, assaying and analytical procedures

For the older samples from the Phase 1 drilling programme, Assaycorp carried out a second pulverisation due to the coarse nature of the samples that TRA prepared with its horizontal axis Keegor Mill. The 250 to 300 g samples were reground to 90% passing 100 microns and then a 50 g charge was taken for fire assaying. The pulverising was done in either a disc grinder or a Keegor Mill. For the Phase 2 samples no regrind was necessary and a 50 g charge was split out immediately for assay. The fire assayed material then underwent aqua regia digest followed by atomic absorption spectra (AAS) analysis for the final result. Assay precision (repeatability) was quoted at  $\pm 15\%$  with a minimum detection limit of 0.01 parts per million (ppm). Assaycorp was instructed to re-assay samples with results > 1 g/t, until another result within 15% was obtained. Snowden does not endorse this practice.

### 13.5 Quality control measures

TRA did not employ a systematic or independent QAQC programme with the samples submitted to Assaycorp. Some check programmes were implemented after the MRT visit in 1997 which included:

- 1. Assaycorp Kuching assays checked by MRT for repeatability.
- 2. Intra-laboratory checks of Assaycorp vs Genalysis in Perth, WA for systematic bias.
- 3. Assaycorp checks on repeats of samples sent to Genalysis.
- 4. Field duplicates on coarse split ore grade material from the pit.
- 5. Re-splits resubmitted blind after preparation at Kuala Lipis.

- 6. Assaycorp Kuching quality control repeats (not blind).
- 7. Assaycorp Kuching results checked by Assaycorp Pine Creek.

Not all the data was available from the check programmes instituted.

#### 13.6 Blank performance

In addition to the above checks, blank materials were inserted with the sample stream to test for cross-contamination between samples. A total of 40 blanks were submitted and the results are plotted in Figure 13.1. The results are too few for definitive conclusions to be drawn but the one result of almost 7 g/t Au indicates a contamination problem in at least one sample.





Figure 13.1 Blank sample results

#### 13.7 Umpire assays

A total of 42 samples were submitted to Genalysis in Perth for umpire analysis. Figure 13.2 shows a log QQ plot of the umpire data and also a precision plot (pair mean, half absolute difference) of the data. The QQ plot indicates a positive bias towards the Assaycorp data in the grade range of 1 to 10 g/t Au such that the Assaycorp data is generally higher grade than the Genalysis results in this grade range. This bias is reflected in the precision plot over the same range where approximately 25% of the data is over the 20% precision line. As there are no common standards used by both labs no firm conclusion can be drawn as to which results are accurate.





### 13.8 Assay repeat data

A total of 6,982 repeat gold analyses were undertaken on pulps in the primary laboratory; the results are presented as QQ and precision plots in Figure 13.3.




Figure 13.3 Lab repeat data Log QQ and precision plot

The QQ shows good correlation between the original and repeat data and the precision plot reveal acceptable repeatability with only a 602 of the 6,892 results exceeding a half-absolute relative difference of  $\pm$  20% of the pair mean.

# 13.9 Opinion on the adequacy of sampling, sample preparation, security and analytical procedures

The author considers the sampling practices at Selinsing not to be in accordance with the CIM guidelines since insufficient systematic and independent QAQC data has not been included with the sample data that will be used for resource estimation purposes. In particular, the QAQC data

that is available allows assessment of repeat precision but not the accuracy of results. Assuming umpire results are accurate, the check-assay data suggests that the Kuching laboratory may be overstating gold grades in the 1 to 10 g/t Au range. However, this indication cannot be confirmed because certified reference materials were not submitted to assess the accuracy of the results from the two laboratories.

The repeat pulp-assay data suggests that the primary laboratory has good repeatability but again the lack of independent standards means that the accuracy of the Kuching lab cannot be gauged.

## 13.10 Validation drilling

Snowden supervised the drilling and sampling. Industry standard QAQC protocols were followed which included certified reference materials comprising a range of standards and a blank which were independently inserted into the sample stream prior to analysis. Field duplicates were also taken during the drilling programme. The samples were submitted to the Ultra Trace Pty. Ltd. (Ultra Trace) laboratory located in Perth, West Australia. Samples underwent a 40 g Fire Assay with analysis by ICP. Snowden has reviewed the programmes QA/QC data and found the results to be acceptable for the style of mineralisation

#### 13.10.1 Sample Preparation

The entire 2 kg to 3 kg sample that was collected was dispatched to the Ultra Trace laboratory, and no sample preparation was undertaken on site. Wet samples were dried then split prior to being dispatched.

#### 13.10.2 Security measures

Samples were collected at the end of each days drilling and stored on site in a secure storage facility. The storage facility was made secure after a recommendation from the initial site visit by Snowden in April 2006. Samples were securely stored on site until they were escorted to couriers for shipment to the laboratory in Australia.

# 13.10.3 Laboratory certification, sample preparation, assaying and analytical procedures

Upon receipt, samples are sorted and then reconciled against the accompanying paperwork. The samples are then be dried in either a natural gas fired oven or an electrically operated convection oven.

Ultra Trace employ a single stage mixing and grinding process. In this process, crushing is generally unnecessary unless sample pieces are over about 25mm in size. Ultra Trace use conventional LM2 and LM5 Ring Mills for pulverising the samples. These mills are time proven and reliable for this stage of the process. By use of various capacity bowls in the LM2 and LM5 mills, Ultra Trace are able to efficiently pulverise samples from a few grams in size to approximately 4 kg. Samples larger than this will either be split to obtain a 4 kg sample or pulverised in 4 kg lots and recombined.

A target of 95% passing  $75\mu m$  has been set for pulp size. A barren wash of the bowls using silica sand is routinely carried out before and after processing samples.

The firing and cupellation of the samples follows the classical, lead collection, fire assay process, using a nominal 40g charge, with the gold, platinum and palladium (platinum and palladium are not reported) being collected. The noble metal prills are parted with nitric acid and the gold, platinum and palladium are dissolved in aqua regia and diluted for ICP analysis.

### 13.10.4 Quality control measures

As previously described, the QAQC programme comprised the insertion of certified reference materials (standards), blanks, and the generation of field duplicates

#### Blank performance

A total of 10 blanks were submitted with the sample stream to test for crosscontamination between samples. The blank results are plotted in Figure 13.4. The results indicate the lab has good hygiene.




Figure 13.4 Blank sample results

### Standard Performance

Five separate standards were inserted into the sample stream, their values are summarised in Table 13.1. Each standard was inserted ten times into the sample stream, which together with the blanks constituted a total insertion rate of 10 % of the samples submitted. Figure 13.5 to Figure 13.9 depict the results of each standard.

Table 13.1	Standard summary
------------	------------------

Standard ID	Certified Value Au g/t
G02	1.2
G302-2	2.5
G300-10	1.99
G905-10	6.75
High Grade	21.57

Figure 13.5 Standard G02




Figure 13.6 Standard G302-2




Figure 13.7 Standard G300-10







Figure 13.8 Standard G905-10








Overall the mean of standards results are 3 % to 5 % higher than the certified values, except for the high grade standard which is approximately 2 % lower than the certified value. Snowden considers the performance of the CRM's to be within acceptable limits.

#### Laboratory repeats

A total of 126 repeat gold analyses were undertaken on pulps in the primary laboratory; the results are presented as QQ and precision plots in Figure 13.3. The QQ plot shows good correlation between the original and repeat data and the precision plot reveal acceptable repeatability with only a 13 of the 126 results exceeding a half-absolute relative difference of  $\pm$  20% of the pair mean.





### **Field Duplicates**

A total of 58 field duplicates were taken during the drilling programme; the results are presented as QQ and precision plots in Figure 13.3. The QQ plot displays moderate correlation between the original and duplicate data and the precision plot reveals acceptable repeatability with 19 of the 58 results exceeding a half-absolute relative difference of  $\pm$  20% of the pair mean. The bulk of those exceeding the  $\pm$  20% pair mean occur below 0.5 g/t Au. Snowden considers the results to be acceptable for this style of gold deposit.




Figure 13.11 Field duplicate data Log QQ and precision plot

## 14 Data verification

## 14.1 Extraction

## 14.2 Verification by author

While on site, the author reviewed the database, the geological interpretation, the collection of drill hole data, surface exposure, the preparation laboratory and the drillholes in the core sheds. While visiting the core sheds, core from the following drillholes was inspected and compared to the drill logs:

- SELDD001
- SELDD002
- SELDD003
- SELDD007
- SELDD009

Selected core intervals from these holes were also sampled by the author for verification of mineralisation (Table 14.1). In all instances the lithology, mineralisation, alteration and sample intervals were found to agree with the drill logs.

The verification samples were submitted to UltraTrace laboratories in Perth WA for fire assay. The results of the confirmatory sampling are listed in Table 14.1 and confirm the presence of gold at the residual drill cores. While there are some significant differences between the original Kuching laboratory results and the UltraTrace verification samples, the author considers that this variation is consistent with expectations for results from the second half of a drill core in gold mineralisation. Of note is the fact that the UltraTrace repeats (while only two in number) demonstrate low precision, in contrast to the 7,000 pulp repeats depicted in Figure 13.3.

Sample HoleID (interval)	UltraTrace Au ppm	Kuching Au ppm	Diff %
SEL DD001 (76.40-78.16 m)	12.8	29.3	-129
SEL DD002 (41.33-42.33 m)	0.552	9.4	-1603
SEL DD003 (51.66-52.81 m)	11.3	20.8	-84
SEL DD003 (63.73-64.72 m)	8.31	3.82	54
SEL DD003 (63.73-64.72 m) Rpt	6.73	3.82	43
SEL DD007 (133.34-134.24 m)	8.09	7.65	5
SEL DD007 (139.62-140.60 m)	3.98	4.3	-8
SEL DD007 (176.52-177.97 m)	7.39	8.89	-20
SEL DD009 (23.20-24.70 m)	2.35	11.2	-377
SEL DD009 (23.20-24.70 m) Rpt	1.6	11.2	-600

Table 14.1Confirmatory sampling

### 14.3 Opinion on the verification of data

The author considers that the verification work completed by Moncoa, previous reviewers and Snowden is of a sufficient level to allow the use of the database in a CIM compliant resource estimate, provided that the issue of insufficient QAQC is addressed. In particular, the accuracy of the database assays needs to be quantified as independent check results indicate the possibility of significant grade bias in the primary laboratory data.

## 14.4 Opinion on the validation drilling

Snowden considers that the validation drill programme has confirmed the tenor of the historical RC data and its suitability for use in a resource estimate which can be classified according to CIM guidelines. The lack of sufficient QAQC data is still a risk and is taken into account during the resource classification.

# 15 Adjacent properties

Material relevant to this section is contained in the Technical Report referenced above.

# 16 Mineral processing and metallurgical testing

## 16.1 Extraction

This summary of processing and metallurgical testing has been extracted from the TRA 'prefeasibility' report. Note that this report is material to this technical report but in the authors opinion the study does not meet the requirements to define Mineral Reserves as defined under CIM guidelines, primarily due to the inability to report Mineral Resources as discussed in this report.

## 16.2 Open pit ore

Samples from 25 RC drillholes and four diamond drillholes (32 m of HQ core) have been used to characterise the metallurgical extraction of gold from the Selinsing deposit above the 380 mRL. Testing has included:

- gravity recovery and cyanide leach recovery of gold
- oxygen addition to improve leach kinetics
- cyanide destruction of probable plant effluent
- slurry viscosity measurements
- thickening of leach plant tailings
- fine grinding characteristics of lump ore from the open cut
- fine grinding characteristics of diamond drill core

The grinding test showed that Mill Work Indexes for diamond drill core, taken from 60 to 100 m depth, are approximately 50% higher than the indexes estimated from lump ore samples collected from the surface of the existing open cut mine. A Ball Mill Work Index of 17 kWh/t has been identified as the upper range for power consumption and this value is based on testing of fresh rock diamond core samples. The lower range power consumption is a Work Index of 12 kWh/t, which was estimated for open pit samples. The Ball Mill is equipped with a 1000 kW drive. The Ball Mill and SAG Mill drive motors are understood to be interchangeable, thus it is possible to install the 1200 kW SAG Mill drive to the Ball Mill. The alternative drive motor capacities are summarised in Table 16.1.

Ore Type	Ball Mill Work Index whirs/t	Ball Mill Drive kW	Mill Through put tph	Annual Mill Utilisation hours	Annual Capacity tonnes	
Open pit Oxide	12	1,000	83	7,896 (90%)	655,000	
Open pit fresh	17	1,000	58	7,896 (90%)	458,000	
Tailings	12	1,000	83	7,896 (90%)	655,000	
Open pit oxide	12	1,200	100	7,896 (90%)	789,000	
Open pit fresh	17	1,200	70	7,896 (90%)	552,000	
Tailings	12	1,200	100	7,896 (90%)	789,000	

 Table 16.1
 Ball mill capacity calculations

The gravity recovery and leaching test was completed on two suites of samples. The first suite of samples, gathered from eight RC holes, produced very good recoveries for 75% of the holes tested when applying a nominal grind of 80% passing minus 106 microns. Gravity gold recovery results ranged from 14% recovery for the 25% of holes which showed poor overall recoveries, and 42%

recovery for the 75% of holes which showed good overall good recovery. The leach recoveries for a 24-hour residence time of gravity plant tailings averaged 58% recovery for the poor-recovery samples and 87% recovery from the good-recovery samples. For a 48 hour leach time, recoveries averaged 61% and 94% respectively. Overall recoveries averaged 67% and 96% respectively.

The leach kinetics were relatively slow with an improvement of about 7% in leach recovery attributed to the additional 24 hours of leach time. The conclusion from this testing was that the potential for fine gold not liberated from within sulphides could be adversely affecting recoveries. Further testing on these samples applying a finer grind, gravity concentration and cyanide leaching with the addition of oxygen, and evaluation of a whole ore sulphide flotation showed that overall recoveries could be improved for the poorer samples to between 75% and 80% using a gravity/leach/oxygen assist route. The more complex sulphide flotation, fine regrind of the sulphide concentrate followed by cyanide leaching of the flotation concentrate returned in excess of 90% recovery.

The second suite of samples was collected from 17 RC holes and these samples were tested at a grind of 80% passing 75 microns. These samples were collected from within the main zone of mineralisation between 1800 mN and 2200 mN. Testing also included some follow up testing on methods of oxygen addition to the slurry. The finer grind was expected to improve gold liberation. The average total gold recovery for second suite of samples was 92% and this result is favourably comparable with the first set of tests. Some samples still showed poorer overall recoveries in the range 60-75% but these samples represented material north of the main target zone of mineralisation.

As discussed previously, fine gold associated within sulphides was considered as one possible explanation for these poorer recoveries. However, there were also indications that there were possible deficiencies in the gravity recovery testing whereby coarser gold particles (which dissolve more slowly) were allowed to pass through to the leach testing. This deficiency could be due to the inefficiencies of the Knelson concentrator used for the gravity recovery testing. The problem here is that the gravity recovery may appear poorer than reality and as the coarse gold particles dissolve more slowly, these grains biased the leach time dissolution results. The spatial distribution of gravity recovery, 48-hour leach recovery, total recovery and total sulphur for all RC samples are illustrated in Figure 16.1, Figure 16.2 and Figure 16.3 where the recovery values are presented on a bubble chart showing the percentage recovery and sample location.




Figure 16.1 Gravity gold recovery all RC samples (from TRA)







Figure 16.2 Leach recovery (48-hrs) for all RC samples (from TRA)





In summary, the areas of lower overall recovery are substantially outside the main target zone of mineralisation (nominally between 1800 mN and 2200 mN) and whilst the lower recovery results are still inadequately explained, the results do not materially affect the project economics. There are several lower total recovery results (Figure 16.2) within the main zone of mineralisation (65%, 70%) which require some follow up testing.

There are no clear trends in spatial distribution of gravity gold recovery and there does not appear to be any relationship between the presence or absence of sulphides and the degree of gravity recovery and leach recovery. The very low total sulphur concentrations in the metallurgical test samples collected around 720 mE reflects primarily oxide samples from Bukit Selinsing (Figure 16.4).



#### Figure 16.4 Sulphur concentrations for all RC samples

The only factor that appears to be consistent from the testing of all samples is that for open pit ore, gold recovery is maximised by a 48-hour leach time combined with a fine grind (minus 75 microns). This conclusion has significant implications for the leach tank capacity required to achieve the residence time.

Testing to evaluate slurry rheology completed by AMMTEC did not identify any aspects of the slurry which were likely to make it difficult to agitate.

Thickening testing of ore slurries by Superflo Technologies identified the key physical parameters for thickening of the slurry after gravity treatment in order to minimise the required leach tank volumes for the leach section of the plant.

# 17 Mineral Resource and Mineral Reserve Estimates

## 17.1 General

The estimation of Selinsing resources was undertaken by Snowden's Independent Qualified Person Mr. Michael Andrew. Mineral Resources were estimated in accordance with CIM Definitions for Standards of Mineral Resources and Reserves (CIM 2004). Best practice in estimation was also followed

Data was supplied to Snowden by Moncoa geological staff.

Three dimensional (3D) modelling methods and parameters were used in accordance with best Canadian practices. Datamine mining software was used for establishing the 3D block model and subsequent grade estimates. A geological volume model was provided by Moncoa geological staff, derived from the drillhole logs and geological interpretations. Statistical and grade continuity analyses were completed in order to characterize the mineralisation, and were subsequently used to develop grade interpolation parameters. The shear zone between the hangingwall and footwall contacts was the only domain estimated.

MIK was used to estimate gold block grades. A hyperbolic function was applied to the top end of the distribution to limit the impact of grade outliers.

.A mineral resource classification scheme consistent with the logic of CIM guidelines (2004) was applied. The estimates have been categorised as Indicated and Inferred mineral resources and have been reported above a grade cut-off that is appropriate for a potentially bulk mineable deposit. The reporting of mineral resources at Selinsing implies a judgment by the author that the deposit has reasonable prospects for economic extraction, insofar as technical and economic assumptions are concerned. The use of the term "Mineral Resource" makes no assumption of legal, environmental, socio-economic and governmental factors.

No Measured Resources or Mineral Reserves have been estimated at this stage. Infill drilling will be required to advance the geological confidence to a level required for the Measured classification category. Additional studies will be required to finalise technical, economic, legal, environmental, socio-economic and governmental factors. These modifying factors are normally included in a mining feasibility study and are a pre-requisite for conversion of resources to, and reporting of, Mineral Reserves. The CIM Standards describe completion of a Preliminary Feasibility Study as the minimum prerequisite for the conversion of Mineral Resources to Mineral Reserves (CIM 2004).

## 17.2 Database

Moncoa supplied Snowden with four digital files comprising assays, lithology records, collar surveys, and downhole surveys representing the drillhole database.

Other data provided by Moncoa included topographic survey data, density measurements and an oxide/sulphide wireframe surface.

Snowden has assumed that the database as supplied by Moncoa has good data integrity, and has performed only preliminary validation checks to ensure data veracity. These validation checks uncovered minor errors which were communicated to Moncoa and subsequently corrected in the database supplied to Snowden.

## 17.3 Geological interpretation

The digital geological interpretation was provided by Moncoa geological staff. The wireframe interpretation was completed using information from surface mapping and sampling in combination with drillhole data, according to the mineralisation described in Section 9.

Snowden has not made any allowance for historic underground workings in the interpretation. The known extent of the workings does not reach high grade area of the resource (centred on 2000 mN) and as such Snowden does not think it will have a significant impact on the reported resource. Figure 17.1 is a plan view of the known underground workings (bright green) plotted with the drill database, showing the high grade part of the resource centred on 2000 mN.




Figure 17.1 Plan view of known underground workings

Moncoa supplied Snowden with an interpretation which Snowden generated a wireframe model of the Hanging Wall (blue) and Foot Wall (mauve) (Figure 17.2), defining the shear mineralisation between the two contacts. The shear zone was left unconstrained, as a hard boundary interpretation of the lodes was not though to be appropriate to capture the mineralisation adequately. The estimate can be considered to be fully diluted.

Snowden judges that the potential exists for the mineralisation to exist in more discreet, which would result in a reduction in tonnes and an increase in grade at the reported cut-off, although the contained ounces would remain approximately the same. Snowden believes that once production starts at Selinsing this issue can be resolved by reconciliation and geological monitoring of production




Figure 17.2 Hanging Wall (blue) and Foot Wall (mauve) wireframes oblique view

## 17.4 Compositing


Snowden elected to composite the data on two metre downhole intervals in order to preserve the variability in the sampling. Composites were generated downhole from hole collars, honouring the wireframe boundaries (Figure 17.2).

### 17.5 Domained composite statistics


Table 17.1 summarises composite statistics for Au in the shear zone. Log histograms and log probability plots showing the Au distributions are presented in Figure 17.3.

l able 17.1	composites	Statistics Au g/t
Stat	tistics	Shear Zone
Sa	mples	14,542
Mir	nimum	0.01
Ма	ximum	586.5
N	lean	0.79
S	t Dev	7.08
	CV	9.00
Va	riance	50.11
Ske	ewness	47.18
	10%	0.01
	20%	0.01
ntile	30%	0.03
ercei	40%	0.04
at p	50%	0.07
ade	60%	0.12
ng br	70%	0.22
le ar	80%	0.44
Percentile and grade at percentile	90%	1.08
Per	95%	2.00
	97.5%	3.87
	99%	11.32

Table 17.1	Composite Statistics Au g/t
	oomposite statisties na gri



#### Figure 17.3 Log Histogram and Probability Plots



## 17.6 Findings from statistical analysis of domained composites

The grade variability was considered to be too high for a technique such as ordinary kriging with grade capping. MIK (which is much more suited to extremely skewed distributions) was used to restrict the influence of high grade outliers during grade interpolation.

## 17.7 Block model setup

A 3D geology block model was coded using Datamine mining software from the geology wireframes. Blocks were sub-celled to accurately fill and capture the volume of geology wireframes. Table 17.2 summarises the block model parameters.

Model Name		ri	kselbm.dm		
Dimensions	Х	Y	Z		
Parent Cell	2.5	5 2.5			
Sub block	1.25	2.5     1.25       1775     200       145     150			
Model origin	400				
Total parent cells	260				
Parent discretisation	1	1 1			
	Attribute	Unit Explanation			
	AU1	g/t MIK estimate			
Estimated attributes	RELERR		Relative estimation error		
	NUMSAM		Number of samples used in estimation		
	OXID		10=Oxide, 100=Primary		
Assigned attributes	RESCAT	2-Indicated, 3-Inferred			
Assigned attributes	DENSITY	Oxide waste 2.18 t/m <sup>3</sup> , Oxide mineralised 2.53 t/m <sup>3</sup> Primary waste 2.58 t/m <sup>3</sup> , Primary mineralised 2.7 t/m <sup>3</sup>			

Table 17.2Block model parameters


## 17.8 Continuity analysis

Snowden generated and modelled semivariograms for 12 percentiles. The percentiles were based on the declustered statistics of the data. The nugget effect was interpreted from the downhole semivariogram. The modelled semivariograms for the primary direction of continuity are presented in Figure 17.4 and the modelled parameters tabulated in


Table 17.3.


The semivariogram models in Figure 17.4 show that:

- mineralisation plunges to the south
- nuggets (as a proportion of standardised unit semivariance) range from 0.29 (70<sup>th</sup> percentile) to 0.6 (99<sup>th</sup> percentile)
- continuity is anisotropic
- some rotational anisotropy was noted with the dip of the mineralisation steepening as the percentile increased.









Percentile				Stru	icture 1	Stru	cture 2	Str	ucture 3
& grade Au g/t	Direction	Orientation	Nugget C₀	Sill C <sub>1</sub>	Range A <sub>1</sub>	Sill C <sub>2</sub>	Range A <sub>2</sub>	Sill C <sub>3</sub>	Range A <sub>3</sub>
	1	24>327			40		90		370
10 0.02	2	-29>042	0.5	0.06	150	0.08	200	0.36	200
0.02	3	-50>270			15		25		55
	1	00>000			105		320		3000
20 0.03	2	-40>090	0.37	0.19	70	0.29	3000	0.15	5000
0.00	3	-50>270			25		90		90
	1	-40>090			13		40		3000
30 0.041	2	00>000	0.4	0.23	15	0.09	105	0.28	165
0.041	3	-50>270			10		55		65
1.5	1	19>336			12		33		270
40 0.06	2	-34>053	0.37	0.19	10	0.09	50	0.35	270
0.00	3	-50>270			9		32		78
	1	13>344			10		75		230
50 0.09	2	-37>065	0.5	0.22	10	0.06	65	0.22	280
0.09	3	-50>270			15		35		80
	1	09>005			20		50		160
60 0.135	2	-59>081	0.45	0.3	15	0.08	40	0.17	75
0.155	3	-30>280			20		20		60
	1	09>007			20		45		98.5
70 0.235	2	-68>073	0.29	0.53	10	0.08	25	0.1	40
0.200	3	-20>280			10		12.5		20
	1	00>000			10		35		
80 0.448	2	-70>090	0.3	0.45	10	0.25	20		
0.440	3	-20>270			10		10		
	1	00>010			20				
90 1.03	2	-70>100	0.37	0.63	10				
1.00	3	-20>280			5				
	1	37>344			20				
95 1.87	2	-46>022	0.42	0.58	20				
1.07	3	-20>270			10				
o= -	1	00>000			15				
97.5 3.175	2	-70>090	0.53	0.47	20				
5.175	3	-20>270			10				
	1	37>344			15				
99 6.894	2	-46>022	0.6	0.4	10				
0.007	3	-20>270			5				

Table 17.3 Semivariogram Model Parameters - Au

## 17.9 Upper tail modelling

The upper tail of the distribution was modelled using a hyperbolic function to restrict the influence of high grade outliers on the estimate. A hyperbolic parameter of 1.28 was modelled and this was used in the estimation (Figure 17.5).




Figure 17.5 Upper tail model

## 17.10 Declustering analysis

Declustering of the composite data is required to provide accurate grades for model comparison and validation purposes. Snowden computed multiple declustered means over a range of cell sizes. For each domain a declustering cell size was selected and used to generate declustering weights for each composite. Table 17.4 compares the declustered means with the clustered means for Au. The declustered mean was less than the clustered mean grade and more accurately reflects the actual mean grade of the domain.

Table 17.4Declustered statistics – Au g/t

Au Clustered	Au declustered mean	Percentage
mean (g/t)	(g/t)	difference
0.79	0.58	27%

## 17.11 Estimation parameters

Snowden created an MIK estimate in Datamine and undertook post processing of the result with the GSLIB programme POSTIK. E-type estimates were generated, and as the block size approximates the anticipated SMU, no change of support was modelled.

### 17.11.1 Kriging Neighbourhood Analysis (KNA)

A KNA study was undertaken in order to assist in selecting block and estimation parameters that minimize conditional bias. In selecting the following model and estimation parameters Snowden was guided by the KNA results, the domain

geometry and previous model assumptions. The parameters selected as a result of the KNA are:

- an estimation block size of 2.5 mE by 5 mN by 2.5 mRL
- a maximum of 40 samples used to estimate a block
- a minimum of 10 samples used to estimate a block

### 17.12 Grade models

Au grade block models were generated using MIK as discussed above, and the estimation parameters outlined in Section 17.11.

Block grades were estimated in one pass using search ellipse radii equal to the maximum range of the semivariogram defined for the median indicator. Parent cell estimation (ie. no estimation into subcells) was used and blocks uninformed by the estimate due to sample number constraints remained that way.

### 17.13 Density

Density values were applied at 2.18 and 2.58 t/m<sup>3</sup> for unmineralised and mineralised oxide material, respectively and 2.68 and 2.7 t/m<sup>3</sup> for unmineralised and mineralised sulphide material, respectively, based upon the supplied oxidation wireframe.

### 17.14 Classification

Snowden classified resource blocks as either Indicated or Inferred based on a combination of the number of samples used to inform the block and the kriging variance of the estimate for each block.

Figure 17.6 shows an oblique view of the model colour-coded by resource class. It can be seen that (as would be expected) the Indicated resource (orange) is focused around the drillholes and the Inferred resources (blue) are peripheral to the drilling. Below 400 mRL all material was flagged as Inferred.




Figure 17.6 Classified model –oblique view

## 17.15 Model validation

Snowden used the following methods to validate the block grade estimates:

- global mean comparison of declustered mean composite grades and tonnageweighted block mean grades
- visual inspection of the model against the input composites
- plots of mean input and block grades on a series of sections and plans throughout the deposit.

Table 17.5 shows a global comparison between the declustered composites and block means (for the entire resource and just for the Indicated blocks) by domain.


Table 17.5 Global mean comparison – Au g/t

Declustered Composite	Block Global	Block Indicated
0.58	0.36	0.55


The global mean comparisons show that the global block mean is significantly lower than the declustered composite mean. When only the Indicated blocks are examined the block mean is only slightly lower than the declustered composite mean.


Visual inspection of block and composite grades on plans and sections showed good correlation between the input data and output values. No obvious discrepancies were noted. Figure 17.7 is an oblique view of the estimate showing the southerly plunging mineralisation controls. Higher grades are warm colours, lower grades are represented by cooler colours


#### Figure 17.7 Oblique vioew -Au block grades



To test the local estimation accuracy, Snowden created validation plots of inputoutput mean grades for each zone. These plots consist of 10 m, 20 m and 10 m slices generated through the deposit along easting, northing and elevation directions respectively. For each slice the mean declustered grade of the samples (blue trace) is compared to the tonnage weighted mean grade of the blocks (red trace) and the number of samples (grey trace). Figure 17.8 shows the Au estimate validation plots for material above 400 mRL.







Relatively good correlation with input composite data is displayed. As shown in the northing plot there is a spike in the grade between 1900 mN and 2050 mN, where the bulk of the high grade mineralisation occurs. Portions of the graphs where the block grades deviate from the composite grades are generally associated with areas of low data, as expected.

### 17.16 Resource report

A Mineral Resource classification scheme consistent with CIM guidelines (CIM 2004) was applied. The estimates have been categorised as Indicated and Inferred mineral resources and have been reported above a grade cut-off that is appropriate for a potentially bulk mineable deposit.

At a cut-off grade of 0.75 g/t Au the currently defined Selinsing Indicated Mineral Resource is 3.63 million tonnes grading 1.76 Au for a total of 205,000 ounces of Au. At the same Au block cut-off grade, the currently defined Inferred Mineral Resource is 7.7 million tonnes grading 1.34 g/t Au for a total of 332,000 ounces of Au.

## 17.17 Cut-off determination

Snowden has elected to use a 0.75 reporting cut-off. Snowden considers the cut-off grade at which the resource will be reported at in the future will change to reflect the results of studies into the economic extraction of the Selinsing resource.

Cut-off (Au g/t)	Classification	Oxidation	Tonnes (kt)	Grade (Au g/t)	Metal (kOzs)	Classification	Oxidation	Tonnes (kt)	Grade (Au g/t)	Metal (kOzs)
0.75		Oxide	2,100	1.78	120		Oxide	390	1.25	10
0.75	Indicated	Sulphide	1,530	1.72	85	Inferred	Sulphide	7,300	1.35	320
0.75	_	Total	3,630	1.76	205		Total	7,690	1.34	330

 Table 17.6
 Selinsing Classified Mineral Resource, as at August 2006

# 18 Other relevant data and information

Snowden is not aware of any other relevant data and information made available by Moncoa since the 2005 Technical Report.

## 19 Interpretation, conclusions and recommendations

The Selinsing Project is at an advanced stage of exploration and has been subject to core and RC drilling programs and surface sampling programs carried out under the supervision of Moncoa geological staff. The author is satisfied that the drill sample database and geological interpretations are sufficient to enable the estimation of Mineral Resources. Accepted estimation methods have been used to generate a 3D block model of gold values.

The estimates have been classified with respect to CIM Guidelines and the resources are Indicated and Inferred status, according to the geological confidence and sample spacings that currently define the deposit.

Should Moncoa elect to do so, the Selinsing Project Resource estimate can be used in a Scoping Study or Preliminary Feasibility study. Feasibility studies that require a component of Measured Resources will necessitate additional programs of infill drilling and/or closer spaced drilling in representative regions of the deposit.

Snowden believes that Moncoa should be able to increase the confidence and size of the Selinsing resource through additional drilling.

Moncoa has successfully completed the drill programme to validate the historic RC data and made the core and sample storage facility secure, recommendations from the referenced technical report. Moncoa has also secured the ownership of the MC1/124 lease

Moncoa has retained Snowden to complete optimisation and mine design studies of the reported resource estimate. Upon completion of the studies, which have commenced, Snowden will separately report reserves for the Selinsing Project.

The author offers the following recommendations:

- Moncoa should incorporate the recommendations made here and previously into its ongoing QA/QC programs.
- Moncoa to continue with the C\$900,000 exploration drilling programme as detailed in the referenced technical report.
- Moncoa to implement a commercial database system for data storage as detailed in the referenced technical report.
- Moncoa should undertake a review of regional and near mine exploration targets as Snowden considers the area to be prospective for further discoveries. This programme has not been budgeted.

## 20 References

CIM, 2004. CIM Definition Standards on Mineral Resources and Mineral Reserves. Adopted by CIM Council November 14, 2004.

"Selinsing Gold Mining Project, Malaysia NI43-101 Technical Report" prepared in accordance with NI 43-101 by Michael C. Andrew MAusIMM, BSc. of Snowden Mining Industry Consultants Pty Ltd

## 21 Certificate of Author

Michael C Andrew, B Sc. 87 Colin St West Perth 6000 WA, Australia Tel: +61 8 94816690 Fax: +61 8 93222576 Email: mandrew@snowdengroup.com

I, Michael C Andrew, B.Sc., am a Professional Geoscientist employed as a Principal Consultant –Resource Evaluation by Snowden Mining Industry Consultants, 87 Colin Street, West Perth WA Australia.

I graduated with a Bachelor of Science degree in Geology from Australian National University, Canberra ACT, Australia. I completed a Postgraduate Certificate in Geostatistics from Edith Cowan University in 2005. I am a member of the AusIMM. I have worked as a geologist for a total of 22 years since graduating with my bachelor's degree.

I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association (as defined in NI 43-101) and past relevant work experience, I fulfil the requirements of a "qualified person" for the purposes of NI 43-101.

I am responsible for the preparation of the technical report entitled "Addendum to the Technical Report entitled Selinsing Gold Mining Project, Malaysia NI43-101 Technical Report". I have visited the site between the 4th and 7th of April 2006 and between the 13<sup>th</sup> and 16<sup>th</sup> June 2006.

I have had prior involvement with the property, having prepared the referenced technical report.

I am not aware of any material fact or material change with respect to the subject matter of this technical report that is not reflected in the report, the omission to disclose which makes this report misleading.

I am independent of the issuer applying all of the tests in section 1.5 of NI 43-101.

I have read National Instrument 43-101 and Form 43-101F1, and the Technical Report has been prepared in accordance with that instrument and form.

Dated at Perth, WA, this 21st day of September, 2006.

Michael Condrew

Michael C Andrew, B.Sc

## 22 Consent of Qualified Person

Michael C Andrew, B Sc. 87 Colin St West Perth 6000 WA, Australia Tel: +61 8 94816690 Fax: +61 8 93222576 Email: mandrew@snowdengroup.com

TO: The securities regulatory authorities of each of the provinces and territories of Canada

I, Michael C Andrew, B Sc., do hereby consent to the filing of the report titled "Addendum to the Technical Report entitled Selinsing Gold Mining Project, Malaysia NI43-101 Technical Report", prepared for Moncoa Corporation. and dated September, 2006.

Dated at Perth, WA, this 21st day of September, 2006.

Michael Condrew

Michael C Andrew, BSc