
May 30, 2022

News Release

Release #04 -2022

Monument Receives Significant RC Results from Phase 2 Drilling Program at the Murchison Gold Project

Vancouver, B.C., May 30, 2022, Monument Mining Limited (TSX-V: MMY and FSE: D7Q1) “Monument” or the “Company” is pleased to announce that significant results from the Reverse Circulation (“RC”) drilling has been received as a part of the Phase 2 exploration program at Burnakura, one of the primary Murchison Gold Projects in the Meekatharra area, Western Australia.

As part of a two-year exploration program to test the potential for gold discovery, the Phase 2 drilling program commenced in November 2021, following the completion of the Phase 1 program in August 2021 (*refer to News Release dated December 15, 2021 and January 19, 2022*). The Phase 2 RC and DD drill program was completed in April 2022. The remaining assay results from the Diamond (“DD”) drilling component are anticipated over the coming weeks. The Company looks forward to updating the market with a comprehensive announcement incorporating the DD and RC drill results.

HIGHLIGHTS

- Reverse Circulation drilling has encountered multiple mineralization horizons at depth, indicating gold mineralization down-dip and the potential for additional underground economic mineralization at the NOA 1 deposit.
- Significant assay results from all the RC drilling component of the program returned include:
 - **4m at 32.0g/t Au** from 218m (including **1m at 71.8g/t Au** from 219m), **1m at 1.1g/t Au** from 226m, **1m at 4.2g/t Au** from 229m and **1m at 1.1g/t Au** in 21BNRC050, testing the depth extent of the NOA 1 mineralization. Visible gold was observed in RC chips associated with the 4m at 32.0g/t Au intercept (See picture in Figure 1 below).

Figure 1: Visible gold sighted in RC hole 12BNRC050 at 219m downhole at NOA 1



- **2m at 5.3g/t Au** from 140m in 21BNRC047
- **1m at 4.3g/t Au** from 190m and **1m at 1.7g/t Au** from 184m in 21BNRC048
- **1m at 4.3g/t Au** from 246m and **1m at 1.5g/t Au** from 243m in 21BNRC052
- **1m at 2.4g/t Au** from 45m and **1m at 2.8g/t Au** from 116m in 21BNRC054
- **1m at 1.2g/t Au** from 240m in 21BNRC049


- Further assay results are expected from the remaining ten diamond holes drilled, testing the depth extent of the mineralized system.
- Once the remaining assays from the diamond holes are received, they will be incorporated with the positive RC results, and a detailed interpretation will be undertaken to evaluate the NOA mineralized system's depth extent and structural components of the various lithological units.
- The prospectivity of the Phase 2 target areas are greatly enhanced due to its proximity to the prolific NOA structural corridor, which hosts significant economic gold mineralization with historic production from open pit and underground mines.
- The Company continues to evaluate all options and opportunities to add to the Mineral Resource base using systematic exploration techniques applied to Monument's Murchison regional land package.

Monument's President and CEO, Cathy Zhai, said: "We are encouraged by these early promising RC results of the Phase 2 program targeted at testing the depth extent of economic mineralization underneath NOA 1, NOA 2, NOA 4-6 and NOA 7/8. These results strengthen our resolve that the NOA structure is highly prospective with the potential to expand and upgrade the existing Mineral Resource, which remains open at depth. The Company continues to progress systematic exploration campaign to test for extensions to the known cluster of gold deposits at Burnakura and unlock the Murchison Gold Projects' broader potential for additional economic gold mineralization."

DISCUSSION OF PHASE II DRILLING PROGRAM


The Burnakura structure is spatially related to open-pit mines, which have produced significant ounces of gold from five deposits (Figures 2).

Figure 2: Murchison Exploration Phase 1 and Phase 2 Target Areas



The Phase 2 drilling program followed up the Phase I program to identify additional economic gold mineralization at Burnakura Project, Western Australia (Figures 3 and 5), specifically targeted NOA 1, NOA 2, NOA 4-6, NOA 7/8 and New Alliance along the highly prospective NOA structure, a splay off the regional-scale Burnakura Shear Corridor covering to test for primary mineralization at depth below the deposits.

Figure 3: Phase 2 drilling completed for NOA, showing anomalous intercepts in RC drilling



The Company drilled a combined 18 RC and DD holes for a total of 5,595.1m against an originally planned 18 holes for a combined RC and DD total of 5,546m. The breakdown of the drilling completed is provided in Table 1.

Table 1: Completed RC and DD drilling for Phase 2

Target	Number of holes			Drill metres		
	RC	RCDD	Total	RC	DD	Total
NOA 1	4	3	7	1,559.8	385.5	1,945.3
NOA 2	1	1	2	510.0	49.7	559.7
NOA 4-6	1	1	2	525.0	71.0	596.0
NOA 7/8	1	5	6	1,740.2	588.9	2,329.1
New Alliance	1	-	1	165.0	-	165.0
Total	8	10	18	4,500.0	1,095.1	5,595.1

All RC results have been returned for drilling of NOA 1, NOA 2 and New Alliance targets. The DD component of the drilling program for NOA 1, NOA 2, NOA 4-6, and NOA 7/8 are pending.

Differential GPS techniques were used to survey all drill collar locations accurately. Downhole survey using gyroscopic method was undertaken for all drillholes and stored in the geological database.

Geological logging for the Phase 2 drilling has been uploaded it onto the Company's central SQL geological database.

Sampling was carried out to Monument's protocols as per industry best practice. Quality control procedures adopted for all sub-sampling stages to maximize the representativeness of samples was to insert commercial certified reference material "CRM" for standards and blanks every 20 samples. The CRMs covered gold grade ranges expected at the Murchison Project.

All sample preparation and gold assaying of primary samples were undertaken by an independent commercial laboratory, ALS Geochemistry, in Kalgoorlie, Western Australia. Samples were analyzed for gold by lead collection fire assay of a 50g charge with AAS finish.

NOA 1

Best results from the completed RC holes at NOA 1 include:

- 4m at 32.0g/t Au from 218m 1m at 1.1g/t Au from 226m (visible gold was sighted in RC chips associated with intercept – see Figure 1), 1m at 4.2g/t Au from 229m and 1m at 1.1g/t Au in 21BNRC050.
 - Including 1m at 71.8g/t Au from 219m
- 2m at 5.3g/t Au from 140m in 21BNRC047
- 1m at 4.3g/t Au from 190m and 1.7g/t Au from 184m in 21BNRC048
- 1m at 1.2g/t Au from 240m in 21BNRC049
- 1m at 4.3g/t Au from 246m and 1m at 1.5g/t Au from 243m in 21BNRC052

The location of results from drill holes reported in this release is shown in the plan view in Figure 3 and the sectional view in Figure 4. The sectional view is a cross-section of 7010030N at the NOA 1 deposit with a clipping window of 50m on either side of the section line AA1 indicated on the plan view in Figure 3. The cross-sectional view shows significant intercepts of drilling reported in this release shown in yellow boxes and some previously reported drilling in white boxes. The interpreted broad mineralization within the target zone highlighted gold grades greater than 0.5g/t.


Holes 21BNRC047, 21BNRC048, 21BNRC049, 21BNRC050, 21BNRC052 and 21BNRD051 (RC pre-collar with diamond tail) were drilled to target the deeper portions of the NOA 1 interpreted high-grade gold mineralization, where previous drillholes 16MRC107 and 20MRD013 had intersected 7m at 9.0g/t Au from 140m and 1m at 7.6g/t Au from 243m respectively

(Figure 4). Gold mineralization within all drillholes is associated with sheared mafic-ultramafic rocks and quartz-carbonate veins with talc-carbonate alteration, accessory biotite, pyrite and minor arsenopyrite. In diamond drill core, the mineralized zones are visually distinctive due to the presence of millimeter to centimeter wide quartz-carbonate veins that are commonly folded and display yellow-brown talc-carbonate selvages.

The width and grade of the mineralization intercepted at depth beneath the historic pit in drill hole 21BNRC050 indicate continuity of mineralization at depth and remain open, greatly enhancing the NOA 1 underground target's potential to host significant gold mineralization beyond the existing Mineral Resource (Figure 4).

The results from the DD are expected to provide critical structural and geological information that will assist in evaluating the structural components of the various lithological units. Monument looks forward to updating the market with a more comprehensive announcement combining all the Phase 2 RC and DD results over the coming weeks when the DD results become available.

Figure 4: NOA 1 cross-section 7010030N (AA1) +50m looking North showing Phase 2 drilling completed, anomalous intercepts in recent RC drilling (yellow boxes) and some previously reported drilling (white boxes)




New Alliance

One RC hole was drilled at the New Alliance target, which has historically produced 30koz of gold from an open pit (Figures 2 and 5). This hole targeted the high-grade mineralization plunge interpreted beneath the northern end of the pit. Significant assay returned include 1m at 2.4g/t Au from 45m and 1m at 2.8g/t from 116m in 21BNRC054. This zone of interpreted gold mineralization at New Alliance remains open being mostly untested along strike and at depth. (Figure 5).

Drillholes for this release are detailed in Appendices 1 and 2.


Figure 5: Drill location plan at New Alliance target



BACKGROUND OF MONUMENT MURCHISON PROJECT

Monument's Murchison Gold Project comprises 170km² of highly prospective Archean Greenstone. The project area covers the eastern margin of the Meekatharra-Wydgee greenstone belt within the north-eastern Murchison domain (Figure 6). Historically the Murchison Goldfield has produced over 15 million ounces of gold since the 1900's and currently hosts significant gold producers in the region.

Figure 6: Monument Murchison Project and surrounding gold production to date



- Source of Gabanintha Historical Resources figures: Mapleson, D., (2013) *Murchison Gold Project: Burnakura and Gabanintha Resource Inventory*. By BMGS for Monument Mining Limited. December 2013;
- Surrounding historical gold production are indicative only and collected by Monument geologists.

Competent Person's / Qualified Person's Statement

The technical and scientific information in this press release has been compiled by Mr. Ekow Taylor, a Chartered Professional Geologist with the Australasian Institute of Mining and Metallurgy, the Chief Managing Geologist of the Company, reviewed and approved by Roger Stangler, MEng, FAusIMM, MAIG, a Qualified Person as defined by NI43-101, retained by Golder Associates Pty Ltd.

About Monument

Monument Mining Limited (TSX-V: MMY, FSE:D7Q1) is an established Canadian gold producer that 100% owns and operates the Selinsing Gold Mine in Malaysia and the Murchison Gold Project in the Murchison area of Western Australia. It has 20% interest in Tuckanarra Gold Project jointly owned with Odyssey Gold Ltd in the same region. The Company employs approximately 200 people in both regions and is committed to the highest standards of environmental management, social responsibility, and health and safety for its employees and neighboring communities.

Cathy Zhai, President and CEO
Monument Mining Limited
Suite 1580 -1100 Melville Street
Vancouver, BC V6E 4A6

FOR FURTHER INFORMATION visit the company web site at www.monumentmining.com or contact:

Richard Cushing, MMY Vancouver T: +1-604-638-1661 x102 rcushing@monumentmining.com

"Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release."

Forward-Looking Statement

This news release includes statements containing forward-looking information about Monument, its business and future plans ("forward-looking statements"). Forward-looking statements are statements that involve expectations, plans, objectives or future events that are not historical facts and include the Company's plans with respect to its mineral projects and the timing and results of proposed programs and events referred to in this news release. Generally, forward-looking information can be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or state that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved". The forward-looking statements in this news release are subject to various risks, uncertainties and other factors that could cause actual results or achievements to differ materially from those expressed or implied by the forward-looking statements. These risks and certain other factors include, without limitation: risks related to general business, economic, competitive, geopolitical and social uncertainties; uncertainties regarding the results of current exploration activities; uncertainties in the progress and timing of development activities; foreign operations risks; other risks inherent in the mining industry and other risks described in the management discussion and analysis of the Company and the technical reports on the Company's projects, all of which are available under the profile of the Company on SEDAR at www.sedar.com. Material factors and assumptions used to develop forward-looking statements in this news release include: expectations regarding the estimated cash cost per ounce of gold production and the estimated cash flows which may be generated from the operations, general economic factors and other factors that may be beyond the control of Monument; assumptions and expectations regarding the results of exploration on the Company's projects; assumptions regarding the future price of gold of other minerals; the timing and amount of estimated future production; the expected timing and results of development and exploration activities; costs of future activities; capital and operating expenditures; success of exploration activities; mining or processing issues; exchange rates; and all of the factors and assumptions described in the management discussion and analysis of the Company and the technical reports on the Company's projects, all of which are available under the profile of the Company on SEDAR at www.sedar.com. Although the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking statements, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company does not undertake to update any forward-looking statements, except in accordance with applicable securities laws.

APPENDIX 1

Table 2: Drill Holes Details

Hole ID	Depth (m)	Dip	Azimuth	Grid_ID	mEast	mNorth	mRL
21BNRC047	197	-63.8°	272.6°	MGA94_50	646170	7010073	460
21BNRC048	203	-65.3°	273.5°	MGA94_50	646166	7010035	460
21BNRC049	255	-59.3°	270.3°	MGA94_50	646228	7010007	460
21BNRC050	303	-58.3°	267.9°	MGA94_50	646274	7010001	4560
21BNRC052	277	-58.6°	269.9°	MGA94_50	646154	7010133	460
21BNRC054	165	-59.6°	304.7°	MGA94_50	645986	7008493	464
22BNRC003	299	-62.5°	264.3°	MGA94_50	645740	7011160	458
22BNRC005	280	-58.3°	267.9°	MGA94_50	645815	7010717	459
21BNRD051	329.1	-59.0°	269.9°	MGA94_50	646257	7010038	460
21BNRD053	282.2	-53.9°	252.2°	MGA94_50	646104	7010221	460
21BNRD055	459	-58.7°	263.5°	MGA94_50	645895	7011433	457
21BNRD056	456.5	-58.7°	254.8°	MGA94_50	645880	7011687	456
21BNRD057	420.5	-59.7°	266.6°	MGA94_50	645808	7011784	456
21BNRD058	356.8	-60.7°	269.3°	MGA94_50	645818	7011545	460
22BNRD001	336.7	-59.9°	266.6°	MGA94_50	646034	7010380	460
22BNRD002	321.5	-65.9°	253.9°	MGA94_50	646019	7010536	459
22BNRD004	336.6	-63.9°	264.8°	MGA94_50	645805	7011356	457
22BNRD006	316	-61.5°	265.3°	MGA94_50	645776	7010930	459

Table 3: Summary of Individual Intercepts

Hole_ID	mFrom	mTo	mWidth	Au (g/t)
21BNRC047	140	141	1	4.45
21BNRC047	141	142	1	6.18
21BNRC048	184	185	1	1.68
21BNRC048	190	191	1	4.29
21BNRC049	240	241	1	1.22
21BNRC050	218	219	1	25.0
21BNRC050	219	220	1	71.80
21BNRC050	220	221	1	2.04
21BNRC050	221	222	1	28.70
21BNRC050	226	227	1	1.12
21BNRC050	229	230	1	4.18
21BNRC050	247	248	1	1.06
21BNRC052	243	244	1	1.45
21BNRC052	246	247	1	4.31
21BNRC054	45	46	1	2.4
21BNRC054	116	117	1	2.82

Notes:

- Cut-off grade for reporting of each individual intercept is $\geq 1.0\text{g/t}$ Au with a maximum of 1m of consecutive internal dilution included within the intercept; only intercepts $\geq 1\text{m}$ are reported.
- Intervals are RC chips which are sampled every 1m.
- Samples are analyzed for Au (ALS Geochemistry Au-AA26 50g FA method) which is a 50g fire assay fusion with AAS instrument finish.
- Grid coordinates are in MGA94 50

APPENDIX 2 - PHASE 2 RC DRILL RESULTS

21BNRC047								
mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
0	1	-	41	42	-	82	83	-
1	2	-	42	43	-	83	84	-
2	3	-	43	44	-	84	85	-
3	4	-	44	45	-	85	86	-
4	5	-	45	46	-	86	87	-
5	6	-	46	47	-	87	88	-
6	7	-	47	48	-	88	89	-
7	8	-	48	49	-	89	90	-
8	9	-	49	50	-	90	91	-
9	10	-	50	51	-	91	92	-
10	11	-	51	52	-	92	93	-
11	12	-	52	53	-	93	94	-
12	13	-	53	54	-	94	95	-
13	14	-	54	55	-	95	96	-
14	15	-	55	56	-	96	97	-
15	16	-	56	57	-	97	98	-
16	17	-	57	58	-	98	99	-
17	18	-	58	59	-	99	100	-
18	19	-	59	60	-	100	101	-
19	20	-	60	61	-	101	102	-
20	21	-	61	62	-	102	103	-
21	22	-	62	63	-	103	104	-
22	23	-	63	64	-	104	105	-
23	24	-	64	65	-	105	106	-
24	25	-	65	66	-	106	107	-
25	26	-	66	67	-	107	108	-
26	27	-	67	68	-	108	109	-
27	28	-	68	69	-	109	110	-
28	29	-	69	70	-	110	111	-
29	30	-	70	71	-	111	112	-
30	31	-	71	72	-	112	113	-
31	32	-	72	73	-	113	114	-
32	33	-	73	74	-	114	115	-
33	34	-	74	75	-	115	116	-
34	35	-	75	76	-	116	117	-
35	36	-	76	77	-	117	118	-
36	37	-	77	78	-	118	119	-
37	38	-	78	79	-	119	120	-
38	39	-	79	80	-	120	121	-
39	40	-	80	81	-	121	122	-
40	41	-	81	82	-	122	123	-

21BNRC047 - CONTINUED								
mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
123	124	-	148	149	0.0	173	174	0.01
124	125	-	149	150	0.0	174	175	0.01
125	126	-	150	151	<0.01	175	176	0.08
126	127	-	151	152	0.0	176	177	0.23
127	128	-	152	153	0.0	177	178	0.02
128	129	-	153	154	0.0	178	179	0.01
129	130	-	154	155	0.0	179	180	0.01
130	131	-	155	156	0.0	180	181	<0.01
131	132	-	156	157	0.0	181	182	<0.01
132	133	-	157	158	0.0	182	183	0.01
133	134	-	158	159	0.0	183	184	<0.01
134	135	-	159	160	<0.01	184	185	0.01
135	136	-	160	161	0.0	185	186	0.01
136	137	-	161	162	0.0	186	187	0.01
137	138	-	162	163	0.0	187	188	0.01
138	139	-	163	164	0.0	188	189	0.01
139	140	-	164	165	0.0	189	190	0.01
140	141	4.5	165	166	0.0	190	191	0.14
141	142	6.2	166	167	0.0	191	192	<0.01
142	143	0.5	167	168	0.0	192	193	<0.01
143	144	0.0	168	169	0.0	193	194	0.01
144	145	0.1	169	170	0.0	194	195	0.01
145	146	0.0	170	171	<0.01	195	196	<0.01
146	147	<0.01	171	172	0.0	196	197	0.01
147	148	0.0	172	173	0.0			

21BNRC048								
mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
0	1	-	41	42	-	82	83	-
1	2	-	42	43	-	83	84	-
2	3	-	43	44	-	84	85	-
3	4	-	44	45	-	85	86	-
4	5	-	45	46	-	86	87	-
5	6	-	46	47	-	87	88	-
6	7	-	47	48	-	88	89	-
7	8	-	48	49	-	89	90	-
8	9	-	49	50	-	90	91	-
9	10	-	50	51	-	91	92	-
10	11	-	51	52	-	92	93	-
11	12	-	52	53	-	93	94	-
12	13	-	53	54	-	94	95	-
13	14	-	54	55	-	95	96	-
14	15	-	55	56	-	96	97	-
15	16	-	56	57	-	97	98	-
16	17	-	57	58	-	98	99	-
17	18	-	58	59	-	99	100	-
18	19	-	59	60	-	100	101	-
19	20	-	60	61	-	101	102	-
20	21	-	61	62	-	102	103	-
21	22	-	62	63	-	103	104	-
22	23	-	63	64	-	104	105	-
23	24	-	64	65	-	105	106	-
24	25	-	65	66	-	106	107	-
25	26	-	66	67	-	107	108	-
26	27	-	67	68	-	108	109	-
27	28	-	68	69	-	109	110	-
28	29	-	69	70	-	110	111	-
29	30	-	70	71	-	111	112	-
30	31	-	71	72	-	112	113	-
31	32	-	72	73	-	113	114	-
32	33	-	73	74	-	114	115	-
33	34	-	74	75	-	115	116	-
34	35	-	75	76	-	116	117	<0.01
35	36	-	76	77	-	117	118	<0.01
36	37	-	77	78	-	118	119	<0.01
37	38	-	78	79	-	119	120	<0.01
38	39	-	79	80	-	120	121	<0.01
39	40	-	80	81	-	121	122	<0.01
40	41	-	81	82	-	122	123	<0.01

21BNRC048 - CONTINUED								
mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
123	124	<0.01	150	151	<0.01	177	178	0.04
124	125	<0.01	151	152	<0.01	178	179	0.05
125	126	0.13	152	153	0.2	179	180	0.03
126	127	<0.01	153	154	0.1	180	181	0.06
127	128	0.02	154	155	<0.01	181	182	0.07
128	129	<0.01	155	156	0.0	182	183	0.13
129	130	<0.01	156	157	<0.01	183	184	0.24
130	131	<0.01	157	158	<0.01	184	185	1.68
131	132	<0.01	158	159	<0.01	185	186	0.09
132	133	<0.01	159	160	<0.01	186	187	0.02
133	134	<0.01	160	161	<0.01	187	188	0.03
134	135	<0.01	161	162	0.0	188	189	0.16
135	136	<0.01	162	163	<0.01	189	190	0.17
136	137	<0.01	163	164	<0.01	190	191	4.29
137	138	<0.01	164	165	<0.01	191	192	0.18
138	139	0.01	165	166	<0.01	192	193	0.02
139	140	0.64	166	167	<0.01	193	194	0.05
140	141	0.82	167	168	<0.01	194	195	0.02
141	142	0.05	168	169	<0.01	195	196	0.01
142	143	0.05	169	170	<0.01	196	197	0.02
143	144	0.02	170	171	<0.01	197	198	0.01
144	145	<0.01	171	172	<0.01	198	199	<0.01
145	146	<0.01	172	173	<0.01	199	200	0.01
146	147	0.03	173	174	<0.01	200	201	0.01
147	148	<0.01	174	175	<0.01	201	202	0.01
148	149	<0.01	175	176	0.0	202	203	<0.01
149	150	<0.01	176	177	0.0			

21BNRC049								
mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
0	1	-	41	42	-	82	83	-
1	2	-	42	43	-	83	84	-
2	3	-	43	44	-	84	85	-
3	4	-	44	45	-	85	86	-
4	5	-	45	46	-	86	87	-
5	6	-	46	47	-	87	88	-
6	7	-	47	48	-	88	89	-
7	8	-	48	49	-	89	90	-
8	9	-	49	50	-	90	91	-
9	10	-	50	51	-	91	92	-
10	11	-	51	52	-	92	93	-
11	12	-	52	53	-	93	94	-
12	13	-	53	54	-	94	95	-
13	14	-	54	55	-	95	96	-
14	15	-	55	56	-	96	97	-
15	16	-	56	57	-	97	98	-
16	17	-	57	58	-	98	99	-
17	18	-	58	59	-	99	100	-
18	19	-	59	60	-	100	101	-
19	20	-	60	61	-	101	102	-
20	21	-	61	62	-	102	103	-
21	22	-	62	63	-	103	104	-
22	23	-	63	64	-	104	105	-
23	24	-	64	65	-	105	106	-
24	25	-	65	66	-	106	107	-
25	26	-	66	67	-	107	108	-
26	27	-	67	68	-	108	109	-
27	28	-	68	69	-	109	110	-
28	29	-	69	70	-	110	111	-
29	30	-	70	71	-	111	112	-
30	31	-	71	72	-	112	113	-
31	32	-	72	73	-	113	114	-
32	33	-	73	74	-	114	115	-
33	34	-	74	75	-	115	116	-
34	35	-	75	76	-	116	117	-
35	36	-	76	77	-	117	118	-
36	37	-	77	78	-	118	119	-
37	38	-	78	79	-	119	120	-
38	39	-	79	80	-	120	121	-
39	40	-	80	81	-	121	122	-
40	41	-	81	82	-	122	123	-

21BNRC049 - CONTINUED

mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
123	124	-	167	168	-	211	212	0.08
124	125	-	168	169	-	212	213	0.01
125	126	-	169	170	-	213	214	0.01
126	127	-	170	171	-	214	215	0.01
127	128	-	171	172	-	215	216	<0.01
128	129	-	172	173	-	216	217	0.01
129	130	-	173	174	-	217	218	0.01
130	131	-	174	175	-	218	219	<0.01
131	132	-	175	176	-	219	220	<0.01
132	133	-	176	177	-	220	221	<0.01
133	134	-	177	178	-	221	222	<0.01
134	135	-	178	179	-	222	223	<0.01
135	136	-	179	180	-	223	224	0.01
136	137	-	180	181	-	224	225	<0.01
137	138	-	181	182	-	225	226	0.02
138	139	-	182	183	-	226	227	0.01
139	140	-	183	184	-	227	228	0.02
140	141	-	184	185	-	228	229	0.01
141	142	-	185	186	-	229	230	0.03
142	143	-	186	187	-	230	231	0.02
143	144	-	187	188	-	231	232	0.01
144	145	-	188	189	-	232	233	0.01
145	146	-	189	190	-	233	234	0.04
146	147	-	190	191	-	234	235	0.05
147	148	-	191	192	-	235	236	0.05
148	149	-	192	193	-	236	237	0.02
149	150	-	193	194	-	237	238	0.03
150	151	-	194	195	-	238	239	0.11
151	152	-	195	196	-	239	240	0.21
152	153	-	196	197	-	240	241	1.22
153	154	-	197	198	-	241	242	0.23
154	155	-	198	199	-	242	243	0.06
155	156	-	199	200	-	243	244	0.21
156	157	-	200	201	0.01	244	245	0.03
157	158	-	201	202	0.01	245	246	0.01
158	159	-	202	203	0.13	246	247	0.02
159	160	-	203	204	0.28	247	248	0.01
160	161	-	204	205	0.01	248	249	<0.01
161	162	-	205	206	1.01	249	250	0.01
162	163	-	206	207	0.50	250	251	0.02
163	164	-	207	208	0.26	251	252	0.02
164	165	-	208	209	0.06	252	253	<0.01
165	166	-	209	210	0.02	253	254	<0.01
166	167	-	210	211	0.01	254	255	<0.01

21BNRC050								
mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
0	4	0.0	164	168	0.0	232	233	0.27
4	8	0.0	168	172	0.0	233	234	0.08
8	12	0.0	172	176	0.0	234	235	0.07
12	16	<0.01	176	180	0.0	235	236	0.57
16	20	0.0	180	184	0.0	236	237	0.31
20	24	0.0	184	188	<0.01	237	238	0.13
24	28	0.0	188	192	<0.01	238	239	0.25
28	32	0.0	192	196	<0.01	239	240	0.19
32	36	<0.01	196	200	<0.01	240	241	0.04
36	40	<0.01	200	201	<0.01	241	242	0.05
40	44	0.0	201	202	0.0	242	243	0.06
44	48	0.0	202	203	0.0	243	244	0.05
48	52	0.0	203	204	0.0	244	245	0.26
52	56	0.0	204	205	0.0	245	246	0.03
56	60	0.0	205	206	0.0	246	247	0.05
60	64	<0.01	206	207	0.0	247	248	1.06
64	68	<0.01	207	208	0.0	248	249	0.12
68	72	<0.01	208	209	0.0	249	250	0.04
72	76	0.0	209	210	0.0	250	251	0.46
76	80	0.0	210	211	0.0	251	252	0.05
80	84	0.0	211	212	0.1	252	253	0.55
84	88	<0.01	212	213	0.1	253	254	0.05
88	92	<0.01	213	214	0.1	254	255	0.19
92	96	<0.01	214	215	0.0	255	256	0.11
96	100	<0.01	215	216	0.0	256	257	0.01
100	104	<0.01	216	217	0.0	257	258	0.14
104	108	0.0	217	218	0.1	258	259	0.16
108	112	0.0	218	219	25.5	259	260	0.84
112	116	<0.01	219	220	71.8	260	261	0.14
116	120	<0.01	220	221	2.0	261	262	0.03
120	124	<0.01	221	222	28.7	262	263	0.05
124	128	<0.01	222	223	0.1	263	264	0.04
128	132	<0.01	223	224	0.1	264	265	0.12
132	136	0.0	224	225	0.1	265	266	0.05
136	140	<0.01	225	226	0.6	266	267	0.20
140	144	<0.01	226	227	1.1	267	268	0.09
144	148	<0.01	227	228	0.5	268	269	0.06
148	152	<0.01	228	229	0.3	269	270	0.48
152	156	<0.01	229	230	4.2	270	271	0.15
156	160	0.0	230	231	0.1	271	272	0.02
160	164	<0.01	231	232	0.1	272	273	0.03

21BNRC050 - CONTINUED

mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
273	274	0	283	284	0	293	294	0
274	275	0.01	284	285	0.02	294	295	0.07
275	276	0.05	285	286	0.16	295	296	0.27
276	277	0.01	286	287	0.04	296	297	0.09
277	278	0.01	287	288	0.01	297	298	0.04
278	279	0.01	288	289	0.84	298	299	0.04
279	280	0.02	289	290	0.05	299	300	0.01
280	281	0.01	290	291	0.03	300	301	0.06
281	282	0.01	291	292	0.07	301	302	0.03
282	283	0.01	292	293	0.01	302	303	0.04

21BNRC052

mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
0	1	-	41	42	-	82	83	-
1	2	-	42	43	-	83	84	-
2	3	-	43	44	-	84	85	-
3	4	-	44	45	-	85	86	-
4	5	-	45	46	-	86	87	-
5	6	-	46	47	-	87	88	-
6	7	-	47	48	-	88	89	-
7	8	-	48	49	-	89	90	-
8	9	-	49	50	-	90	91	-
9	10	-	50	51	-	91	92	-
10	11	-	51	52	-	92	93	-
11	12	-	52	53	-	93	94	-
12	13	-	53	54	-	94	95	-
13	14	-	54	55	-	95	96	-
14	15	-	55	56	-	96	97	-
15	16	-	56	57	-	97	98	-
16	17	-	57	58	-	98	99	-
17	18	-	58	59	-	99	100	-
18	19	-	59	60	-	100	101	-
19	20	-	60	61	-	101	102	-
20	21	-	61	62	-	102	103	-
21	22	-	62	63	-	103	104	-
22	23	-	63	64	-	104	105	-
23	24	-	64	65	-	105	106	-
24	25	-	65	66	-	106	107	-
25	26	-	66	67	-	107	108	-
26	27	-	67	68	-	108	109	-
27	28	-	68	69	-	109	110	-
28	29	-	69	70	-	110	111	-
29	30	-	70	71	-	111	112	-
30	31	-	71	72	-	112	113	-
31	32	-	72	73	-	113	114	-
32	33	-	73	74	-	114	115	-
33	34	-	74	75	-	115	116	-
34	35	-	75	76	-	116	117	-
35	36	-	76	77	-	117	118	-
36	37	-	77	78	-	118	119	-
37	38	-	78	79	-	119	120	-
38	39	-	79	80	-	120	121	-
39	40	-	80	81	-	121	122	-
40	41	-	81	82	-	122	123	-

21BNRC052 - CONTINUED

mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
123	124	-	167	168	-	211	212	-
124	125	-	168	169	-	212	213	-
125	126	-	169	170	-	213	214	-
126	127	-	170	171	-	214	215	-
127	128	-	171	172	-	215	216	-
128	129	-	172	173	-	216	217	-
129	130	-	173	174	-	217	218	-
130	131	-	174	175	-	218	219	-
131	132	-	175	176	-	219	220	-
132	133	-	176	177	-	220	221	-
133	134	-	177	178	-	221	222	-
134	135	-	178	179	-	222	223	-
135	136	-	179	180	-	223	224	-
136	137	-	180	181	-	224	225	-
137	138	-	181	182	-	225	226	-
138	139	-	182	183	-	226	227	-
139	140	-	183	184	-	227	228	-
140	141	-	184	185	-	228	229	0.01
141	142	-	185	186	-	229	230	0.01
142	143	-	186	187	-	230	231	0.01
143	144	-	187	188	-	231	232	0.01
144	145	-	188	189	-	232	233	-
145	146	-	189	190	-	233	234	0.05
146	147	-	190	191	-	234	235	0.13
147	148	-	191	192	-	235	236	0.08
148	149	-	192	193	-	236	237	0.03
149	150	-	193	194	-	237	238	0.02
150	151	-	194	195	-	238	239	0.04
151	152	-	195	196	-	239	240	0.93
152	153	-	196	197	-	240	241	0.03
153	154	-	197	198	-	241	242	0.09
154	155	-	198	199	-	242	243	0.01
155	156	-	199	200	-	243	244	0.78
156	157	-	200	201	-	244	245	1.45
157	158	-	201	202	-	245	246	0.31
158	159	-	202	203	-	246	247	0.55
159	160	-	203	204	-	247	248	4.31
160	161	-	204	205	-	248	249	0.48
161	162	-	205	206	-	249	250	0.60
162	163	-	206	207	-	250	251	0.13
163	164	-	207	208	-	251	252	0.03
164	165	-	208	209	-	252	253	0.25
165	166	-	209	210	-	253	254	<0.01
166	167	-	210	211	-	254	255	0.01

21BNRC052 - CONTINUED

mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
255	256	<0.01	264	265	<0.01	273	274	<0.01
256	257	<0.01	265	266	0.01	274	275	<0.01
257	258	<0.01	266	267	<0.01	275	276	<0.01
258	259	<0.01	267	268	<0.01	276	277	<0.01
259	260	<0.01	268	269	<0.01			
260	261	<0.01	269	270	<0.01			
261	262	<0.01	270	271	<0.01			
262	263	<0.01	271	272	<0.01			
263	264	0.60	272	273	<0.01			

21BNRC054

mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
0	1	-	41	42	-	82	83	0.01
1	2	-	42	43	-	83	84	0.01
2	3	-	43	44	-	84	85	0.01
3	4	-	44	45	0.01	85	86	<0.01
4	5	-	45	46	2.69	86	87	<0.01
5	6	-	46	47	0.02	87	88	<0.01
6	7	-	47	48	0.03	88	89	<0.01
7	8	-	48	49	0.02	89	90	<0.01
8	9	-	49	50	0.01	90	91	0.01
9	10	-	50	51	0.04	91	92	0.01
10	11	-	51	52	0.02	92	93	<0.01
11	12	-	52	53	0.0	93	94	0.01
12	13	-	53	54	<0.01	94	95	<0.01
13	14	-	54	55	0.0	95	96	<0.01
14	15	-	55	56	0.0	96	97	<0.01
15	16	-	56	57	0.0	97	98	<0.01
16	17	-	57	58	0.0	98	99	<0.01
17	18	-	58	59	0.0	99	100	<0.01
18	19	-	59	60	<0.01	100	101	<0.01
19	20	-	60	61	0.0	101	102	<0.01
20	21	-	61	62	0.1	102	103	<0.01
21	22	-	62	63	0.1	103	104	0.01
22	23	-	63	64	0.0	104	105	<0.01
23	24	-	64	65	0.0	105	106	<0.01
24	25	-	65	66	0.0	106	107	<0.01
25	26	-	66	67	0.0	107	108	<0.01
26	27	-	67	68	0.0	108	109	0.01
27	28	-	68	69	0.1	109	110	0.01
28	29	-	69	70	0.0	110	111	0.01
29	30	-	70	71	0.0	111	112	0.23
30	31	-	71	72	0.0	112	113	0.10
31	32	-	72	73	0.0	113	114	0.05
32	33	-	73	74	<0.01	114	115	0.07
33	34	-	74	75	<0.01	115	116	0.91
34	35	-	75	76	<0.01	116	117	2.82
35	36	-	76	77	<0.01	117	118	0.44
36	37	-	77	78	0.0	118	119	0.16
37	38	-	78	79	0.0	119	120	0.02
38	39	-	79	80	<0.01	120	121	0.01
39	40	-	80	81	0.0	121	122	0.02
40	41	-	81	82	0.0	122	123	0.11

21BNRC054 - CONTINUED

mFrom	mTo	Au g/t	mFrom	mTo	Au g/t	mFrom	mTo	Au g/t
123	124	0.02	138	139	0.01	153	154	0.01
124	125	0.03	139	140	<0.01	154	155	0.02
125	126	0.04	140	141	<0.01	155	156	0.01
126	127	0.01	141	142	<0.01	156	157	0.01
127	128	<0.01	142	143	<0.01	157	158	0.01
128	129	<0.01	143	144	<0.01	158	159	0.01
129	130	0.01	144	145	<0.01	159	160	0.01
130	131	0.01	145	146	<0.01	160	161	0.01
131	132	0.01	146	147	0.01	161	162	0.01
132	133	0.01	147	148	0.01	162	163	0.01
133	134	<0.01	148	149	0.01	163	164	0.01
134	135	<0.01	149	150	0.01	164	165	0.01
135	136	<0.01	150	151	<0.01			
136	137	<0.01	151	152	<0.01			
137	138	<0.01	152	153	0.01			